INDEX TO VOLUME 18

AUTHOR INDEX

ABU HAYDAR, N.; ST. MARC, J. R.; REDDY, W. J.; LAIDLAW, J. C., and THORN, G. W.: Adrenocortical insufficiency with normal basal levels of urinary 17-hydroxycorticoids: diagnostic implications, 121

ADAMS, D. D.: The presence of an abnormal thyroid-stimulating hormone in the serum of some thyrotoxic patients, 699

ALBERT, A.; BORTH, R.; DICZFALUSY, E.; LORAINE, J. A.; LUNENFELD, B.; MCARTHUR, J. W., and ROSEMBERG, E.: Collaborative assays of two urinary preparations of human pituitary gonadotropin (Letter to the Editor), 1117

——, and KELLY, S.: Studies on the biologic characterization of human gonadotropins. II. Comparison of human pituitary gonadotropin (urine) and human chorionic gonadotropin (urine), 1067

——, and KELLY, S.: Studies on the biologic characterization of human gonadotropins. III. Comparison with sheep follicle-stimulating hormone, 1216

——; KELLY S., and KOBI, J.: Studies on the biologic characterization of human gonadotropins. I. Human pituitary gonadotropin from urine of normal men, and postmenopausal and castrated women, 843

——; KELLY, S.; SILVER, L., and KOBI, J.: Extraction and purification of human pituitary gonadotropin, 600

——; KELLY, S.; SILVER, L.; KOBI, J., and BLOODSWORTH, L.: Day-to-day fluctuation in excretion of human pituitary gonadotropin, 453

——; PAULSEN, C. A.; MADDOCK, W. O.; MELLINGER, R. C., and KLINE, I. T.: Collaborative assays of two local standards for human pituitary gonadotropin (Letter to the Editor), 1428

——, *see* SCHUMACHER, P. O., 354

ALBRIGHT, F., *see* MOLDAWER, M. P., 1

ALVAREZ, A. S., *see* GELLER, J., 409

ARAI, Y., *see* ELRICK, H., 825

ARONS, W. L.; NUSIMOVICH, B.; VANDERLINDE, R. J., and THORN, G. W.: Effect of exogenous adrenocortical hormones and states of adrenal dysfunction on body sodium and potassium composition, 611

ASSIS, L. M., *see* EPPS, D. R., 892

BARTTER, F. C., *see* GOLDSMITH, R. S., 323

BASKIN, A., *see* HERRMANN, W. L., 834

BASSETT, S. H., *see* GOLDMAN, R., 981

——, *see* KLEEMAN, C. R., 477

BASU, G. K., *see* SOBEL, C., 208

BECK, J. C., *see* DYRENFURTH, I., 391

BENEDICT, P. H., *see* MOLDAWER, M. P., 1

BENIRSCHKE, K. *see* PERRIN, E. V., 327

BERGENSTAL, D. M., *see* LIPSETT, M. B., 790

BERLINER, D. L., *see* BERLINER, M. L., 109

BERLINER, M. L.; BERLINER, D. L., and DOUGHERTY, T. F.: Metabolism of progesterone by adrenal tissue from patients with Cushing's syndrome and mammary carcinoma (Letter to the Editor), 109

BIRD, R., *see* GREENE, R., 99

BIRKE, G.; DICZFALUSY, E., and PLANTIN, L.-O.: Assessment of the functional capacity of the adrenal cortex. I. Establishment of normal values, 736

BLOODSWORTH, L., *see* ALBERT, A., 453

BOGGS, T., *see* BONGIOVANNI, A. M., 1127

BONGIOVANNI, A. M.; EBERLEIN, W. R.; WESTPHAL, M., and BOGGS, T.: Prolonged turnover rate of hydrocortisone in the newborn infant (Letter to the Editor), 1127

——, *see* EBERLEIN, W. R., 300, 1274

BORGLIN, N. E.: Serum transaminase activity and vitamin B_6 in pregnancy, 878

——: Serum transaminase activity in uncomplicated and complicated pregnancy and in newborns, 872

BORRIS, J. J., *see* WILSON, H., 643

BORTH, R., *see* ALBERT A., 1117

BRADBURY, J. T., and BUNGE, R. G.: Gonadal dysgenesis: case report of a 6-year-old boy with a Fallopian tube and an undifferentiated gonad, 1006

BRONSKY, D.; SHRIFTER, H.; DE LA HUERGA, J.; DUBIN, A., and WALDSTEIN, S. S.: Cerebrospinal fluid proteins in myxedema, with special reference to electrophoretic partition, 470

BROWN, H.; ENGLERT, E., JR., and WALLACH, S.: Metabolism of free and conjugated 17-hydroxycorticosteroids in subjects with thyroid disease, 167

——, *see* ENGLERT, E., JR., 36

BUCKNER, F., *see* HERRMANN, W. L., 834

BULASCHENKO, H., *see* RICHARDSON, E. M., 666, 1399

BUNCH, L. D., *see* HAMILTON, J. B., 180

BUNGE, R. G., *see* BRADBURY, J. T., 1006

BUSÓ, R.; OLAVARRIETA, S. T., and SUÁREZ, R. M.: Studies on the pathogenesis of the anemia of hypothyroidism, 501

CAMPBELL, R. E., *see* CROSLEY, A. P., 1435

CANARY, J. J., *see* KYLE, L. H., 950

CASTELLANOS, H., and STURGIS, S. H.: Cytology of human urinary sediment: diagnostic value of the non-nucleated cell, 1369

CHAGAS, W. A., *see* PROCÓPIO-VALLE, J., 1432

CHESNUT, F. A., *see* DEGROOT, L. J., 158

CHILDS, D. S., JR., *see* MOLNAR, G. D., 1132
CLARK, L. D., *see* EIK-NES, K., 764
CLAYTON, G. W.; SMITH, J. D., and ROSENBERG, H. S.: Familial true hermaphrodism in pre- and postpuberal genetic females. Hormonal and morphologic studies, 1349
COBERLY, J. C., *see* PETERS, J. H., 114
COELHO NETO, A. DA S., *see* EPPS, D. R., 892
COHEN, M.; MALTBY, E. J., and LAIDLAW, J. C.: A case of masculinizing ovarian tumor: use of corticosteroid inhibition test in diagnosis (Letter to the Editor), 794
——; STIEFEL, M.; REDDY, W. J., and LAIDLAW, J. C.: The secretion and disposition of cortisol during pregnancy, 1076
——, *see* LAIDLAW, J. C., 222
COLLINS, V. P., *see* WOLF, E. T., 310
COSTILOE, J. P., *see* SCHNEIDER, R. A., 379
CRABBÉ, J.; REDDY, W. J.; ROSS, E. J., and THORN, G. W.: The role of the adrenal cortex in the normal adaptation to dietary sodium deprivation, 1147
——; ROSS, E. J., and THORN, G. W.: The significance of the secretion of aldosterone during dietary sodium deprivation in normal subjects, 1159
CROSLEY, A. P.; THORNTON, M. J.; CAMPBELL, R. E., and PECKHAM, B.: Oral Releasin in dysmenorrhea (Letter to the Editor), 1435

DAMAST, B., *see* WEST, C. D., 15
DANFORTH, W. H., and HUMPHREY, H. A.: Hypertrophic osteoarthropathy and pretibial myxedema associated with Graves' disease, 1302
DANIELSON, E., *see* SACHS, B. A., 506
DAWSON, J. W., *see* EZRIN, C., 917
DE FREITAS, A., *see* GELLER, J., 409
——, *see* PROCÓPIO-VALLE, 1432
DEGROOT, L. J., POSTEL, S.; LITVAK, J., and STANBURY, J. B., with the assistance of CHESNUT, F. A.: Peptide-linked iodotyrosines and iodothyronines in the blood of a patient with congenital goiter, 158
DE LA HUERGA, J., *see* BRONSKY, D., 470
DE LALLA, O., *see* STRISOWER, E. H., 721, 1418
DESHPANDE, G. N., *see* SOMMERVILLE, I., 1223
DESPOPOULOS, A., with the technical assistance of REDD, D.: Probenecid in hypoparathyroidism: absence of phosphaturic response, 769
DICZFALUSY, E., *see* ALBERT, A., 117
——, *see* BIRKE, G., 736
——, *see* GEMZELL, C. A., 1333
DOHAN, F. C., *see* RICHARDSON, E. M., 666, 1399
DOUGHERTY, T. F., *see* BERLINER, M. L., 109
DOWBEN, R. M.: Effect of norethandrolone on serum enzyme levels (Letter to the Editor), 1308
DRESNER, S., and SCHNEEBERG, N. G.: Rapid radioiodine suppression test using triiodothyronine (Letter to the Editor), 797
DUBIN, A., *see* BRONSKY, D., 470
DUGGAN, K., *see* MILLER, T. R., 1178
DUNN, J. T., and STANBURY, J. B.: The metabolism of 3:3′:5′-triiodothyronine in man, 713
DUNNING, M. F., *see* PLUM, F., 860
DURKIN, J. W., JR., *see* LEVY, R. P., 417
DYRENFURTH, I.; SYBULSKI, S.; NOTCHEV, V.; BECK, J. C., and VENNING, E. H.: Urinary corticosteroid excretion patterns in patients with adrenocortical dysfunction, 391

EBERLEIN, W. R.; BONGIOVANNI, A. M., and FRANCIS, C. M.: A paper chromatographic method for the measurement of pregnanediol in urine, 300
——; BONGIOVANNI, A. M., and FRANCIS, C. M.: A simplified method for the routine measurement of urinary estriol, 1274
——, *see* BONGIOVANNI, A. M., 1127
EGLIN, J. M., *see* LITTLE, B., 425
EIK-NES, K., and CLARK, L. D.: Diurnal variation of plasma 17-hydroxycorticosteroids in subjects suffering from severe brain damage, 764
——; SANDBERG, A. A.; TYLER, F. H., and SAMUELS, L. T.: Changes in plasma level of 17-hydroxycorticosteroids induced by ACTH. III. Effects of various vehicles and modes of administration, 882
ELLIS, J. P., JR., *see* HALE, H. B., 1440
ELMADJIAN, F., *see* RESNICK, O., 28
ELRICK, H.; ARAI, Y., and HLAD, C. J., JR., with the technical assistance of YEARWOOD-DRAYTON, V.: The action of glucagon-insulin mixtures in diabetic patients, 825
——; HUFFMAN, E. R.; HLAD, C. J., JR.; WHIPPLE, N., and STAUB, A., with the technical assistance of SMITH, A. E., and YEARWOOD-DRAYTON, V.: Effects of glucagon on renal function in man, 813
ELY, R. S.; HUGHES, E. R., and KELLEY, V. C.: Studies of adrenal corticosteroids. I. Estimation of plasma corticosterone and cortisol, 190
ENGLERT, E., JR.; BROWN, H.; WILLARDSON, D. G.; WALLACH, S., and SIMONS, E. L.: Metabolism of free and conjugated 17-hydroxycorticosteroids in subjects with uremia, 36
——, *see* BROWN, H., 167
EPPS, D. R.; GUERIOS, M. F. M.; COELHO NETO, A. da S.; LEON, N.; ASSIS, L. M., and ULHOA CINTRA, A. B.: Clinical and microscopic findings in gonadal dysgenesis (Turner's syndrome), 892
EPSTEIN, F. H., and RIVERA, M. J.: Renal concentrating ability in thyrotoxicosis (Letter to the Editor), 1135
——, *see* KLEEMAN, C. R., 1111
ESSELBORN, V. M., *see* LANDING, B. H., 792
EZRIN, C.; SWANSON, H. E.; HUMPHREY, J. G.; DAWSON, J. W., and WILSON, W. D.: The delta cell of the human hypophysis: its response to acute and chronic illness, 917

FAJANS, S. S.: Hyperthyroidism in a patient with postpartum necrosis of the pituitary: case report and implications, 271
FALOON, W. W., *see* MILLER, T. R., 1178

FISH, V. J., *see* NEWMAN, S., 1296
FORBES, A. P., *see* LITVAK, J., 246
——, *see* MOLDAWER, M. P., 1
FORBES, T. R., *see* ZANDER, J., 337
FORSIUS, P. I., *see* LAMBERG, B.-A., 991
FRANCIS, C. M., *see* EBERLEIN, W. R., 300, 1274
FUJIMOTO, G. I., *see* WIEST, W. G., 972
FUKUSHIMA, D. K., and GALLAGHER, T. F.: Absence of 21-dehydroxylation in congenital adrenal hyperplasia, 694
——, *see* KAPPAS, A., 1043
FURMAN, R. H., *see* HOWARD, R. P., 1123

GABRILOVE, J. L., *see* GELLER, J., 409
——, *see* MOSES, A. M., 1413
GALLAGHER, T. F.: Adrenocortical carcinoma in man. The effect of amphenone on individual ketosteroids, 937
——, *see* FUKUSHIMA, D. K., 694
——, *see* KAPPAS, A., 1043
GALLETTI, P.-M., and JOYET, G.: Effect of fluorine on thyroidal iodine metabolism in hyperthyroidism, 1102
GARRISON, M. M., *see* WILSON, H., 643
GELLER, J.; ALVAREZ, A. S.; GUTMAN, A.; DE FREITAS, A.; GABRILOVE, J. L., and SOFFER, L. J.: Effect of prednisone on adrenal responsiveness to corticotropin in normal subjects and in patients with treated and untreated Cushing's syndrome, 409
GEMZELL, C. A.; DICZFALUSY, E., and TILLINGER, G.: Clinical effect of human pituitary follicle-stimulating hormone (FSH), 1333
——, and LI, C. H.: Estimation of growth hormone content in a single human pituitary, 149
GERACI, J. E., *see* ROSS, G. T., 492
GOLDMAN, R., and BASSETT, S. H., with the technical assistance of MOSS, J. X.: Renal regulation of phosphorus excretion, 981
GOLDSMITH, R.; HERBERT, C., and LUTSCH, G.: The effect of iodide on the release of thyroid hormone in hyperthyroidism: further observations, 367
GOLDSMITH, R. S.; BARTTER, F. C.; ROSCH, P. J.; MERONEY, W. H., and HERNDON, E. G., JR.: "Primary aldosteronism" associated with significant edema (Letter to the Editor), 323
GOLDZIEHER, J. W., *see* MANDELSTAM, P., 284
GOFMAN, J. W., *see* STRISOWER, E. H., 721, 1418
GOLUB, O. J.; SOBEL, C., and HENRY, R. J.: Comparative study of the 17-ketogenic (Norymberski), Glenn-Nelson and Reddy methods for the determination of C_{21} urinary steroids, 522
——, *see* SOBEL, C., 208
GORDON, W. B., *see* WOLF, E. T., 310
GORNALL, A. G., *see* LAIDLAW, J. C., 222
GREEN, N., *see* MANDELSTAM, P., 284
GREENBLATT, R. B.: Ovogonia in rudimentary gonads in a case of Turner's syndrome with male sex chromatin pattern (Letter to the Editor), 227
GREENE, R.; MORGAN, D. C., and BIRD, R.: The plasma proteins in thyroid disorders, 99
GRUMBACH, M. M., *see* HOLUB, D. A., 1359
GUERIOS, M. F. M., *see* EPPS, D. R., 892
GUTMAN, A., *see* GELLER, J., 409

HALE, H. B.; KRATOCHVIL, C. H., and ELLIS, J. P., JR., with the technical assistance of WILLIAMS, E. W.: Plasma corticosteroid levels in aircrewmen after long flights (Letter to the Editor), 1440
HAMILTON, J. B., and BUNCH, L. D.: Serum inorganic phosphorus levels in eunuchism and in feeble-minded states, 180
HANKISS, J.: Method for demonstrating increased inactivation of Pitressin in diabetes insipidus (Letter to the Editor), 543
HARRIS, A. P., *see* LIDDLE, G. W., 906
HAUSER, A., *see* KELLER, M., 1384
HAWKER, R. W.: Oxytocin in lactating and non-lactating women, 54
HEANEY, R. P., and WHEDON, G. D.: Radiocalcium studies of bone formation rate in human metabolic bone disease, 1246
HELLMAN, L., *see* KAPPAS, A., 1043
HELLSTRÖM, G., *see* LAMBERG, B.-A., 991
HENNEMAN, D. H., and HENNEMAN, P. H.: Depression of serum and urinary citric acid levels by 17-hydroxycorticosteroids, 1093
HENNEMAN, P. H., *see* HENNEMAN, D. H., 1093
——, *see* LITVAK, J., 246
——, *see* MOLDAWER, M. P., 1
HENRY, R. J., *see* GOLUB, O. J., 522
——, *see* SOBEL, C., 208
HERBERT, C., *see* GOLDSMITH, R., 367
HERNDON, E. G., JR., *see* GOLDSMITH, R. S., 323
HERRMANN, W. L.; BUCKNER, F., and BASKIN, A.: Interstitial-cell tumor of the testis with gynecomastia, 834
HETTIG, R. A., *see* WOLF, E. T., 310
HIBBITT, L. L.; STARNES, W. R., and HILL, S. R., JR.: Studies in man on testicular and adrenal response to adrenocorticotropin and human chorionic gonadotropin, 1315
HILL, S. R., JR., *see* HIBBITT, L. L., 1315
HLAD, C. J., JR., *see* ELRICK, H., 813, 825
HOBKIRK, R.: Effects of endocrine ablative surgery on the urinary excretion of 17-ketosteroids in advanced cancer of the breast, 636
HOLLANDER, N., and HOLLANDER, V. P.: The microdetermination of testosterone in human spermatic vein blood, 966
HOLLANDER, V. P., *see* HOLLANDER, N., 966
HOLMAN, G. H., *see* WILKINS, L., 559
HOLUB, D. A.; GRUMBACH, M. M., and JAILER, J. W.: Seminiferous tubule dysgenesis (Klinefelter's syndrome) in identical twins, 1359
HOWARD, J. E.: Osteoporosis in hyperadrenocorticism (Letter to the Editor), 1131
HOWARD, R. P., and FURMAN, R. H.: Androgenic pattern of serum lipids and lipoproteins in response to chorionic gonadotropin in male hypogonadism (Letter to the Editor), 1123
——, *see* SCHNEIDER, R. A., 379
HUBER, N., *see* VOLPÉ, R., 65
HUFFMAN, E. R., *see* ELRICK, H., 813
HUGHES, E. R., *see* ELY, R. S., 190
HUMPHREY, H. A., *see* DANFORTH, W. H., 1302

HUMPHREY, J. G., *see* EZRIN, C., 917
HURLEY, M. B., *see* PETERS, J. H., 114

INGERSOLL, F. M., *see* MCARTHUR, J. W., 460, 1186, 1202
ISAACS, M. C., *see* SACHS, B. A., 506
ISLAND, D., *see* LIDDLE, G. W., 906

JACOBS, S. L., *see* SOBEL, C., 208
JAILER, J. W., *see* HOLUB, D. A., 1359
JESSIMAN, A. G., *see* LITTLE, B., 425
JOHNSTON, M. W., *see* VOLPÉ, R., 65
JONES, H. W., JR., *see* WILKINS, L., 559
JOYET, G., *see* GALLETTI, P.-M., 1102

KAPPAS, A.; HELLMAN, L.; FUKUSHIMA, D. K., and GALLAGHER, T. F.: The thermogenic effect and metabolic fate of etiocholanolone in man, 1043
KATZ, Y., *see* STARR, P., 278
KAWAHARA, H.: Plasma levels of 17-hydroxycorticosteroids in umbilical cord blood, with special reference to variations of the level between A. umbilicalis and V. umbilicalis (Letter to the Editor), 325
KEATING, F. R., JR.: "Metabolic insufficiency" (Editorial), 531
——, *see* SCHUMACHER, O. P., 354
KELLEN, J.: Spontaneous formation of fern-leaf patterns in human saliva (Letter to the Editor), 1434
KELLER, M.; HAUSER, A., and WALSER, A.: Virilizing adrenal adenoma associated with increased urinary excretion of estrogens and 17-ketosteroids. Isolation of steroids from the tumor, 1384
KELLEY, V. C., *see* ELY, R. S., 190
KELLY, S., *see* ALBERT, A., 453, 600, 843, 1067, 1216
KLEEMAN, C. R.; EPSTEIN, F. H.; MCKAY, D., and TABORSKY, E.: Effects of hypo- and hyperthyroidism on the filterability of serum magnesium, 1111
——; TUTTLE, S., and BASSETT, S. H.: Metabolic observations in a case of thyrotoxicosis with hypercalcemia, 477
KLINE, I. T., *see* ALBERT, A., 1428
KOBI, J., *see* ALBERT, A., 453, 600, 843
KONTAXIS, N. E., and PICKERING, D. E.: A micromethod for the determination of butyl-alcohol extractable hormonal iodine in serum, 774
KRATOCHVIL, C. H., *see* HALE, H. B., 1440
KYLE, L. H.; CANARY, J. J.; MEYER, R. J., and PAC, F. P.: Comparison of the metabolic effects of different thyroid preparations, 950

LAIDLAW, J. C.; COHEN, M., and GORNALL, A. G.: Studies on the origin of aldosterone during human pregnancy (Letter to the Editor), 222
——, *see* ABU HAYDAR, N., 121
——, *see* COHEN, M., 794, 1076
LAMBERG, B.-A.; WAHLBERG, P.; WEGELIUS, O.; HELLSTRÖM, G., and FORSIUS, P. I.: Iodine metabolism of endemic goiter on the Åland Islands (Finland), 991
LAMBERT, E. H., *see* ROSS, G. T., 492
LANCE, E. M., *see* LIDDLE, G. W., 906
LANDAU, R. L., and LUGIBIHL, K.: Inhibition of the sodium-retaining influence of aldosterone by progesterone, 1237
LANDING, B. H.; WEST, C. D., and ESSELBORN, V. M.: Detection of antithyroid antibodies (Letter to the Editor), 792
LASKER, N. B., and RYAN, R. J.: Half-life of radiothyroxine in non-thyroidal hypometabolism (Letter to the Editor), 538
LASSITER, W. E., and STANBURY, J. B.: The *in vivo* conversion of thyroxine to 3:5:3′-triiodothyronine (Letter to the Editor), 903
LEACH, R. B., *see* SANDBERG, H., 1268
LEFTIN, J. H., *see* MARKS, L. J., 235
LEGG, M. A., *see* MEISSNER, W. A., 91
LEON, N., *see* EPPS, D. R., 892
LEPP, A., *see* STARR, P., 278
LESCURE, O. L., *see* NICHOLS, J., 444
LEVY, R. P., and DURKIN, J. W., JR.: The effect of diiodohydroxyquin (Floraquin) vaginal suppositories on the level of serum protein-bound iodine, 417
——, *see* TURELL, D. J., 1029
LEWIS, L. A., *see* SKILLERN, P. G., 1407
LI, C. H., *see* GEMZELL, C. A., 149
LIDDLE, G. W.; ISLAND, D.; LANCE, E. M., and HARRIS, A. P.: Alterations of adrenal steroid patterns in man resulting from treatment with a chemical inhibitor of 11β-hydroxylation (Letter to the Editor), 906
LIPSETT, M. B., and BERGENSTAL, D. M.: A C_{21}-desoxysteroid with corticoid activity (Letter to the Editor), 790
LITTELL, A. S., *see* TURELL, D. J., 1029
LITTLE, B.; SMITH, O. W.; JESSIMAN, A. G.; SELENKOW, H. A.; VAN'T HOFF, W.; EGLIN, J. M., and MOORE, D. F.: Hypophysectomy during pregnancy in a patient with cancer of the breast: case report with hormone studies, 425
——; VANCE, V. K., and ROSSI, E.: Plasma 17-hydroxycorticosteroid levels in patients with abnormal glucose tolerance during pregnancy, 49
LITVAK, J.; MOLDAWER, M. P.; FORBES, A. P., and HENNEMAN, P. H.: Hypocalcemic calciuria during vitamin D and dihydrotachysterol therapy of hypoparathyroidism, 246
——, *see* DEGROOT, L. J., 158
LLOYD, C. W., *see* MILLER, T. R., 1178
LOBOTSKY, J., *see* MILLER, T. R., 1178
LORAINE, J. A., *see* ALBERT, A., 1117
LUGIBIHL, K., *see* LANDAU, R. L., 1237
LUNENFELD, B., *see* ALBERT, A., 1117
LUTSCH, G., *see* GOLDSMITH, R., 367

MADDOCK, W. O., *see* ALBERT, A., 1428
——, *see* SANDBERG, H., 1268
MALTBY, E. J., *see* COHEN, M., 794
MANDELSTAM, P.; GOLDZIEHER, J. W.; SOROFF, H. S., and GREEN, N.: The pituitary-adrenal axis: acute adrenocortical insufficiency and

persistent occult dysfunction following thermal injury, 284
MARKS, L. J.; WEISS, D. M.; LEFTIN, J. H., and ROSSMEISL, E. C.: The adrenocortical response to insulin coma. I. Effects of an entire course of insulin coma therapy on the urinary excretion of 17-hydroxycorticosteroids and 17-ketosteroids and on circulating eosinophils, 235
MARTIN, M. M., and WILKINS, L.: Pituitary dwarfism: diagnosis and treatment, 679
MATTOX, V. R., *see* SALASSA, R. M., 787
MCARTHUR, J. W.; INGERSOLL, F. M., and WORCESTER, J.: The urinary excretion of interstitial-cell and follicle-stimulating hormone activity by women with diseases of the reproductive system, 1202
——; INGERSOLL, F. M., and WORCESTER, J.: Urinary excretion of interstitial-cell stimulating hormone by normal males and females of various ages, 460
——; WORCESTER, J., and INGERSOLL, F. M.: The urinary excretion of interstitial-cell and follicle-stimulating hormone activity during the normal menstrual cycle, 1186
——, *see* ALBERT, A., 1117
MCCULLAGH, E. P., and TRETBAR, H. A.: Treatment of Cushing's syndrome with amphenone: report of two cases, one with probable thymoma, 134
MCKAY, D., *see* KLEEMAN, C. R., 1111
MEISSNER, W. A., and LEGG, M. A.: Persistent thyroid carcinoma, 91
MELLINGER, R. C., *see* ALBERT, A., 1428
MENDELOFF, J., *see* PETERS, J. H., 114
MERONEY, W. H., *see* GOLDSMITH, R. S., 323
MEYER, R. J., *see* KYLE, L. H., 950
MIGEON, C. J., *see* NICHOLS, J., 444
MIKULAJ, L., and NÉMETH, S.: Contribution to the study of adrenocortical secretory function in thyrotoxicosis (Letter to the Editor), 539
MILLER, T. R.; FALOON, W. W., and LLOYD, C. W., with the technical assistance of DUGGAN, K., and LOBOTSKY, J.: Divergence in magnesium, sodium and potassium excretion during stimulation of endogenous aldosterone production, 1178
MILLS, L. C., *see* WOLF, E. T., 310
MITCHELL, M. L., with the technical assistance of O'ROURKE, M. E.: Resin uptake of radiothyroxine in sera from non-pregnant and pregnant women (Letter to the Editor), 1437
MOLDAWER, M.: Concerning the reversibility of osteoporosis (Letter to the Editor), 1028
——; ALBRIGHT, F.; BENEDICT, P. H.; FORBES, A. P., and HENNEMAN, P. H.: Eunuchoidism with low urinary follicle-stimulating hormone in the female: comparison with this syndrome in the male and with the premenarchal menopause, 1
——, *see* LITVAK, J., 246
MOLNAR, G. D.; CHILDS, D. S., JR., and WOOLNER, L. B.: Histologic evidence of malignancy in a thyroid gland bearing a "hot" nodule (Letter to the Editor), 1132
MOORE, F. D., *see* LITTLE, B., 425
MORGAN, D. C., *see* GREENE, R., 99
MOSES, A. M.; GABRILOVE, J. L., and SOFFER, L. J.: Simplified water loading test in hypoadrenocorticism and hypothyroidism, 1413
MOSS, J. X., *see* GOLDMAN, R., 981
MOXHAM, A., *see* NABARRO, J. D. N., 586

NABARRO, J. D. N.; MOXHAM, A., and WALKER, G.: Stimulation and suppression of the adrenal cortex in Cushing's syndrome, 586
NEHER, R., *see* ZANDER, J., 337
NÉMETH, S.: Short-term decrease of serum protein-bound iodine concentration after administration of 2,4-dinitrophenol in man (Letter to the Editor), 225
——, *see* MIKULAJ, L., 539
NEWMAN, S., and FISH, V. J.: The influence of tranquilizing drugs on results of thyroid function studies, 1296
NEWTON, B. L., *see* WOLF, E. T., 310
NICHOLS, J.; LESCURE, O. L., and MIGEON, C. J.: Levels of 17-hydroxycorticosteroids and 17-ketosteroids in maternal and cord plasma in term anencephaly, 444
NOTCHEV, V., *see* DYRENFURTH, I., 391
NUSIMOVICH, B., *see* ARONS, W. L., 611

OKA, M.: Absorption of acetates of hydrocortisone, Δ^1-hydrocortisone and cortisone from the joint cavity into the circulation, 755
OLAVARRIETA, S. T., *see* BUSÓ, R., 501
O'ROURKE, M. E., *see* MITCHELL, M. L., 1437
OWEN, C. A., JR.: A review of "auto-immunization" in Hashimoto's disease (Editorial), 1015

PAC, F. P., *see* KYLE, L. H., 950
PALEY, K. R.; SOBEL, E. S., and YALOW, R. S.: Effect of oral and intravenous cobaltous chloride on thyroid function, 850
——; SOBEL, E. S., and YALOW, R. S.: Some aspects of thyroidal iodine metabolism in a case of iodine-induced hypothyroidism, 79
PARENT, C., *see* ROMANOFF, L. P., 1285
PAULSEN, C. A., *see* ALBERT, A., 1428
——, *see* SANDBERG, H., 1268
PEACE, R., *see* PETERS, J. H., 114
PEARSON, O. H., *see* WEST, C. D., 15
PECKHAM, B., *see* CROSLEY, A. P., 1435
PERRIN, E. V., and BENIRSCHKE, K.: Somatic sex of anencephalic infants (Letter to the Editor), 327
PETERS, J. H.; RANDALL, A. H., JR.; MENDELOFF, J.; PEACE, R.; COBERLY, J. C., and HURLEY, M. B.: Jaundice during administration of methylestrenolone (Letter to the Editor), 114
PICKERING, D. E., *see* KONTAXIS, N. E., 774
PINCUS, G., *see* ROMANOFF, L. P., 1285
PLANTIN, L.-O., *see* BIRKE, G., 736
PLUM, F., and DUNNING, M. F.: Amelioration of hypercalciuria following poliomyelitis by 17-ethyl,19-nortestosterone (Nilevar), 860
POSTEL, S., *see* DEGROOT, L. J., 158
POWER, M. H., *see* SALASSA, R. M., 787
PROCÓPIO-VALLE, J.; CHAGAS, W. A., and DE FREITAS, A.: Determination of sex chromatin

in polymorphonuclear neutrophils of enriched smears (Letter to the Editor), 1432

RABEN, M. S.: Treatment of a pituitary dwarf with human growth hormone (Letter to the Editor), 901
RANDALL, A. H., JR., *see* PETERS, J. H., 114
REDD, D., *see* DESPOPOULOS, A., 769
REDDY, W. J., *see* ABU HAYDAR, N., 121
——, *see* COHEN, M., 1076
———, *see* CRABBÉ, J., 1147
RESNICK, O., and ELMADJIAN, F.: The metabolism of epinephrine containing isotopic carbon in man, 28
RICH, C.: Thyroid function of euthyroid patients during and after treatment with triiodothyronine (Letter to the Editor), 1024
RICHARDSON, E. M.; BULASCHENKO, H., and DOHAN, F. C.: Identification of Δ^4-pregnene-11β,20α,21-triol-3-one in urine extract after administration of 11-dehydrocorticosterone acetate (Letter to the Editor), 666
——; BULASCHENKO, H., and DOHAN, F. C.: Urinary excretion by man of 11β,17α,20α,21-tetrahydroxy-4-pregnen-3-one and the 20β epimer, 1399
RIVERA, M. J., *see* EPSTEIN, F. H., 1135
RODRIGUEZ, R. M., *see* ROMANOFF, L. P., 1285
ROMANOFF, L. P.; RODRIGUEZ, R. M.; SEELYE, J. M.; PARENT, C., and PINCUS, G.: The urinary excretion of tetrahydrocortisol, 3α-allotetrahydrocortisol and tetrahydrocortisone in young and elderly men and women, 1285
ROSCH, P. J., *see* GOLDSMITH, R. S., 323
ROSEMBERG, E., *see* ALBERT, A., 1117
ROSENBERG, G.: Biologic half-life of I^{131} in the thyroid of healthy males, 516
ROSENBERG, H. S., *see* CLAYTON, G. W., 1349
ROSS, E. J., *see* CRABBÉ, J., 1147, 1159
ROSS, G. T.; SCHOLZ, D. A.; LAMBERT, E. H., and GERACI, J. E.: Severe uterine bleeding and degenerative skeletal-muscle changes in unrecognized myxedema, 492
ROSSI, E., *see* LITTLE, B., 49
ROSSMEISL, E. C., *see* MARKS, L. J., 235
RYAN, R. J., *see* LASKER, N. B., 538

SACHS, B. A.; DANIELSON, E.; ISAACS, M. C., and WESTON, R. E.: Effect of triiodothyronine on the serum lipids and lipoproteins of euthyroid and hyperthyroid subjects, 506
ST. MARC, J. R., *see* ABU HAYDAR, N., 121
SALASSA, R. M.; MATTOX, V. R., and POWER, M. M.: Effect of an aldosterone antagonist on sodium and potassium excretion in primary hyperaldosteronism (Letter to the Editor), 787
SAMUELS, L. T., *see* EIK-NES, K., 882
SANDBERG, A. A., and SLAUNWHITE, W. R., JR.: Metabolism of cortisol-C^{14} in subjects with Addison's disease (Letter to the Editor), 662
——, and SLAUNWHITE, W. R., JR.: The metabolic fate of C^{14}-progesterone in human subjects, 253
——, *see* EIK-NES, K., 882
——, *see* SLAUNWHITE, W. R., JR., 1056
——, *see* WIEST, W. G., 972
SANDBERG, H.; PAULSEN, C. A.; LEACH, R. B., and MADDOCK, W. O.: Estrogen excretion in ovariectomized women receiving adrenocorticotropin, 1268
SCHEEBERG, N. G., *see* DRESNER, S., 797
SCHNEIDER, R. A.; COSTILOE, J. P.; HOWARD, R. P., and WOLF, S.: Olfactory perception thresholds in hypogonadal women: changes accompanying administration of androgen and estrogen, 379
SCHOLZ, D. A., *see* ROSS, G. T., 492
SCHULTZ, A. L., and ZIEVE, L.: Relationships between clinical severity of hyperthyroidism and results of thyroid function tests, 629
SCHUMACHER, O. P.; KEATING, F. R., JR., and ALBERT, A.: I^{131} metabolism in thyroid slices of patients with various thyroidal disorders, 354
SEELEN, J. C.: Complications during administration of methylestrenolone (Letter to the Editor), 1137
SEELYE, J. M., *see* ROMANOFF, L. P., 1285
SELENKOW, H. A., *see* LITTLE, B., 425
SHRIFTER, H., *see* BRONSKY, D., 470
SILVER, H. K.: Juvenile hypothyroidism with precocious sexual development, 886
SILVER, L., *see* ALBERT, A., 453, 600
SIMONS, E. L., *see* ENGLERT, E., JR., 36
SKEELS, R. F.: The reversibility of osteoporosis in Cushing's disease: case report, 61
SKILLERN, P. G., and LEWIS, L. A.: Fractionated plasma protein values in subacute thyroiditis, 1407
SLAUNWHITE, W. R., JR., and SANDBERG, A. A.: Metabolism of 4-C^{14}-testosterone in human subjects. III. Fate of androsterone and etiocholanolone, 1056
——, *see* SANDBERG, A. A., 253, 662
SMITH, A. E., *see* ELRICK, H., 813
SMITH, J. D., *see* CLAYTON, G. W., 1349
SMITH, O. W., *see* LITTLE, B., 425
SNAITH, A. H.: A case of feminizing adrenal tumor in a girl, 318
SOBEL, C.; GOLUB, O. J.; HENRY, R. J.; JACOBS, S. L., and BASU, G. K.: Study of the Norymberski methods for determination of 17-ketogenic steroids (17-hydroxycorticosteroids) in urine, 208
——, *see* GOLUB, O. J., 522
SOBEL, E. S., *see* PALEY, K. R., 79, 850
SOFFER, L. J., *see* GELLER, J., 409
——, *see* MOSES, A. M., 1413
SOMMERVILLE, I., and DESHPANDE, G. N.: The quantitative determination of progesterone and pregnanediol in human plasma, 1223
SOROFF, H. S., *see* MANDELSTAM, P., 284
STANBURY, J. B., *see* DEGROOT, L. J., 158
——, *see* DUNN, J. T., 713
——, *see* LASSITER, W. E., 903
STARNES, W. R., *see* HIBBITT, L. L., 1315
STARR, P.; LEPP, A., and KATZ, Y.: The presence of an inhibitor of thyrotropin in human urine, 278
STAUB, A., *see* ELRICK, H., 813
STEMPFEL, R. S., JR., *see* WILKINS, L., 559
STEWART, W. B., *see* WERNER, S. C., 266

STIEFEL, M., *see* COHEN, M., 1076
STRISOWER, B., *see* STRISOWER, E. H., 721, 1418
STRISOWER, E. H.; GOFMAN, J. W.; STRISOWER, B., and DELALLA, O.: Physiologic effects of *l*-triiodothyronine, 721
——; WEED, R. O.; GOFMAN, J. W.; STRISOWER, B., and DELALLA, O. F.: The effect of insulin on serum lipoproteins of diabetic patients, 1418
STURGIS, S. H., *see* CASTELLANOS, H., 1369
SUÁREZ, R. M., *see* BUSÓ, R., 501
SWANSON, H. E., *see* EZRIN, C., 917
SYBULSKI, S., *see* DYRENFURTH, I., 391

TABORSKY, E., *see* KLEEMAN, C. R., 1111
THORN, G. W., *see* ABU HAYDAR, N., 121
——, *see* ARONS, W. L., 611
——, *see* CRABBÉ, J., 1147, 1159
THORNTON, M. J., *see* CROSLEY, A. P., 1435
TILLINGER, G., *see* GEMZELL, C. A., 1333
TRETBAR, H. A., *see* MCCULLAGH, E. P., 134
TURELL, D. J., LITTELL, A. S., and LEVY, R. P.: The effect of food on the 3-hour thyroidal uptake of I^{131} in human subjects (Letter to the Editor), 1029
TUTTLE, L. L. D., *see* WOLF, E. T., 310
TUTTLE, S., *see* KLEEMAN, C. R., 477
TYLER, F. H., *see* EIK-NES, K., 882

ULHOA CINTRA, A. B., *see* EPPS, D. R., 892

VANCE, V. K., *see* LITTLE, B., 49
VANDERLINDE, R. J., *see* ARONS, W. L., 611
VAN'T HOFF, W., *see* LITTLE, B., 425
VENNING, E. H., *see* DYRENFURTH, I., 391
VOLPÉ, R.; JOHNSTON, M. W., and HUBER, N.: Thyroid function in subacute thyroiditis, 65
VON MÜNSTERMANN, A. M., *see* ZANDER, J., 337

WAHLBERG, P., *see* LAMBERG, B.-A., 991
WALDSTEIN, S. S., *see* BRONSKY, D., 470
WALKER, G., *see* NABARRO, J. D. N., 586
WALLACH, S., *see* BROWN, H., 167
——, *see* ENGLERT, E., JR., 36
WALSER, A., *see* KELLER, M., 1384
WEED, R. O., *see* STRISOWER, E. H., 1418
WEGELIUS, O., *see* LAMBERG, B.-A., 991
WEISS, D. M., *see* MARKS, L. J., 235
WERNER, S. C., and STEWART, W. B.: Hyperthyroidism in a patient with a pituitary chromophobe adenoma and a fragment of normal pituitary, 266
WEST, C. D.; DAMAST, B., and PEARSON, O. H.: Urinary estrogen excretion in Cushing's syndrome, 15
——, *see* LANDING, B. H., 792
WESTPHAL, M., *see* BONGIOVANNI, A. M., 1127
WESTON, R. E., *see* SACHS, B. A., 506
WHEDON, G. D., *see* HEANEY, R. P., 1246
WIEST, W. G.; FUJIMOTO, G. I., and SANDBERG, A. A.: Metabolism of progesterone-4-C^{14} in a postmenopausal woman with a biliary fistula, 972
WILKINS, L.; JONES, H. W., JR.; HOLMAN, G. H., and STEMPFEL, R. S., JR.: Masculinization of the female fetus associated with administration of oral and intramuscular progestins during gestation: non-adrenal female pseudohermaphrodism, 559
——, *see* MARTIN, M. M., 679
WILLARDSON, D. G., *see* ENGLERT, E., JR., 36
WILLIAMS, E. W., *see* HALE, H. B., 1440
WILSON, H.; BORRIS, J. J., and GARRISON, M. M.: Chromatographic procedure for the determination of urinary corticosteroids and C_{19} steroids, 643
WILSON, W. D., *see* EZRIN, C., 917
WHIPPLE, N., *see* ELRICK, H., 813
WOLF, E. T.; MILLS, L. C.; NEWTON, B. L.; TUTTLE, L. L. D.; HETTIG, R. A.; COLLINS, V. P., and GORDON, W. B.: Adrenocortical carcinoma causing feminization in an adult male: hormonal considerations, and results of heterotransplantation of the tumor in guinea pigs, 310
WOLF, S., *see* SCHNEIDER, R. A., 379
WOOLNER, L. B., *see* MOLNAR, G. D., 1132
WORCESTER, J., *see* MCARTHUR, J. W., 460, 1186, 1202

YALOW, R. S., *see* PALEY, K. R., 79, 850
YEARWOOD-DRAYTON, V., *see* ELRICK, H., 813, 825

ZANDER, J.; FORBES, T. R.; VON MÜNSTERMANN, A. M., and NEHER, R.: Δ^4-3-Ketopregnene-20α-ol and Δ^4-3-ketopregnene-20β-ol, two naturally occurring metabolites of progesterone. Isolation, identification, biologic activity and concentration in human tissues, 337
ZIEVE, L., *see* SCHULTZ, A. L., 629

SUBJECT INDEX TO VOLUME 18

ABORTION: *see* Pregnancy
ACETAZOLAMIDE (Diamox): *see* Kidney, diuresis
ACTH: *see* Pituitary preparations, adrenocorticotropic hormone
ADDISON'S DISEASE: *see* Adrenal disorders
ADENOHYPOPHYSIS: *see* Pituitary
ADRENAL
DISORDERS
—— Addison's disease; adaptation to acute dietary Na deprivation in; effect of prednisone or DOC, 1147
—— Addison's disease; adrenal & testicular response to ACTH & HCG in, 1315
—— Addison's disease, Cushing's syn., congen. adrenal hyperplasia & adrenogen. syn.; corticosteroid excretion patterns in; effect of ACTH, 391
—— Addison's disease; effect of progesterone, before & after aldosterone therapy, 1237
—— Addison's disease, initially untreated; body Na & K before & after fluoro-F therapy, 611
—— Addison's disease; metabolism of cortisol-C^{14} in, 662
—— adrenal disorders; comparison of methods for det'n of 17-KGS in, 522
—— adrenal dysfunction (adrenogenital, Cushing's & Stein-Leventhal syndromes); effect on body Na & K, 611
—— adrenal tumor, feminizing, in 5½-year-old girl, 318
—— adrenal tumors; differentiation from ovarian tumors by corticosteroid inhibition test, 794
—— adrenalectomized pregnant women; secretion & disposition of cortisol in, 1076
—— adrenalectomized woman; metabolism of C^{14}-epinephrine in, 28
—— adrenocortical carcinoma and Cushing's syn.; pattern of estrogen excretion in, 15
—— adrenocortical carcinoma causing feminization in an adult male; transplant'n of tumor; cont'd secretion of estrogen, 310
—— adrenocortical carcinoma; effect of amphenone on individual ketosteroids, 937
—— adrenocortical carcinoma, hirsutism & Cushing's syn.; stimulation & suppression of adrenal cortex in, 586
—— adrenocortical hypofunction, latent; laboratory diagnosis, 736
—— adrenocortical insufficiency (acute) & persistent occult dysfunct. foll'g thermal injury, 284
—— adrenocortical insufficiency with normal urinary 17-OHCS, 121
—— adrenogenital and Cushing's syndromes; pattern of urinary steroids in, 643
ADRENAL (*cont.*)
DISORDERS (*cont.*)
—— bilaterally adrenalectomized pregnant women; origin of aldosterone in, 222
—— bilaterally adrenalectomized woman; excretion of 17-KS in, 636
—— congenital adrenal hyperplasia; absence of 21-dehydroxylation in, 694
—— congenital adrenal hyperplasia; effect of ACTH on estriol, 17-KS & pregnanetriol in, 1274
—— Cushing's syndrome: *see also* Cushing's syndrome
—— hyperaldosteronism, primary (adrenocort. adenoma); effect of aldosterone antagonist on Na & K excretion in, before & after operation, 787
—— hypoadrenocorticism; simplified water loading test in, 1413
—— non-adrenal fetal female pseudohermaphrodism assoc'd with admin. of progestins to mothers, 559
—— primary aldosteronism assoc'd with significant edema; hormonal content of adrenocort. Ca., 323
—— total adrenalectomy for Cushing's dis.; osteoporosis reversed foll'g, 61
—— virilizing adrenal adenoma; isolation of steroids from, 1384
PHYSIOLOGY & PATHOLOGY
—— ACTH (adrenocorticotropic hormone): *see* Pituitary preparations
—— adrenal cortex; establishment of normal values for functional capacity, 736
—— adrenal cortex; role of in normal adapt'n to dietary Na deprivation; significance of aldosterone secretion during, 1147, 1159
—— adrenal gland; histology of, in term anencephaly, 444
—— adrenal-pituitary axis in severe burn, 284
—— adrenal tissue from patients with Cushing's syn. & breast Ca.; metabolism of progesterone by, 109
—— adrenal *vs.* renal function, 36
—— adrenocortical response to insulin, 235
—— adrenocortical secretory function in thyrotoxicosis, 539
—— fatigue and plasma corticosteroid levels, 1440
PREPARATIONS & COMPOUNDS
—— a C_{21}-desoxysteroid (U-8614); effect on urinary 17-OHCS & 17-KS and plasma 17-OHCS, 790
—— absence of 21-dehydroxylation in congen. adrenal hyperplasia; tests with hydrocortisone-4-C^{14}, 694
—— adrenal steroid excretion & circ'g eosinophils before & after ACTH; establishment of normal values for adreno-

ADRENAL (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
cort. function, 736
—— adrenal steroid patterns (adrenal-vein blood; urine) altered by chemical inhibitor of 11β-hydroxylation, 906
—— adrenal steroids; progesterone metabolized to, by adrenal tissue from patients with Cushing's syn. & breast Ca., 109
—— adrenocortical hormones in case of hyperthyroidism foll'g postpartum necrosis of pituitary, 271
—— adrenocortical steroid excretion, and response to steroids & ACTH in acute adrenocort. insuff'y foll'g severe burn, 284
—— adrenocortical steroids (17-KS); pattern of, after endocrine ablative surgery, 636
—— aldosterone and DOC content of adrenocort. Ca. assoc'd with edema, 323
—— aldosterone antagonist; effect on Na & K excretion in primary aldosteronism, 787
—— aldosterone excretion during dietary Na deprivation; significance of, 1147, 1159
—— aldosterone; origin of, during pregnancy, 222
—— aldosterone secretion; divergence in Mg, Na & K excretion during stimulation of; Na & K restriction studies, 1178
—— aldosterone; sodium-retaining influence of, inhibited by progesterone, 1237
—— compounds E, F and Δ^1-F (acetates); absorption of, from joint cavity into the circulation; 17-OHCS of plasma, 755
—— corticoids, urinary, in twins with seminiferous tubule dysgenesis, 1359
—— corticosteroid excretion patterns in adrenocort. dysfunction, 391
—— corticosteroid metabolism in woman hypophysectomized during pregnancy & treated with cortisone & thyroid, 425
—— corticosteroids and C_{19} steroids; chromatographic procedure for det'n of, 643
—— corticosteroids in urine and tumor in case of virilizing adrenal adenoma; effect of fluorohydrocortisone, 1384
—— corticosterone and cortisol of plasma; estimation of, 190
—— cortisol and ACTH; effect on excretion of 11β, 17α, 20α, 21-tetrahydroxy-4-pregnen-3-one and the 20β epimer, 1399
—— cortisol-C^{14}; metabolism of in Addison's dis., 662
—— cortisol; secretion and disposition of during pregnancy, 1076
—— cortisone; effect in subacute thyroiditis, 65
—— cortisone; effect on I^{131} metabolism in iodine-induced myxedema, 79
—— cortisone; effect on water tolerance in hypoadrenocorticism & hypothyroidism, 1413
—— epinephrine containing isotopic carbon; metabolism of, 28
—— etiocholanolone and androsterone; fate of, in women, 1056
—— etiocholanolone; thermogenic effect & metabolic fate of, in man, 1043
—— fluorohydrocortisone- and cortisone-treated patients; citric acid metabolism in, 1093
—— fluorohydrocortisone depression of ACTH; response to HCG in, 1315
—— fluorohydrocortisone; effect on corticosteroid excretion patterns in adrenocort. dysfunction, 391
—— fluorohydrocortisone-maintained adrenalect'd pregnant women; metabolism of cortisol in, 1076
—— fluorohydrocortisone suppression and ACTH stimulation of adrenal in hyperadrenocorticism; 17-OHCS & 17-KS excretion, 586
—— hydrocortisone; effect on estrogen & 17-KS excretion in ovariect'd women, 1268
—— hydrocortisone, fluorohydrocortisone or DOC; effect on body Na and K, 611
—— hydrocortisone; prolonged turnover rate of, in newborns, 1127
—— individual ketosteroids; effect of amphenone on in adrenocort. Ca., 937
—— 17-ketogenic steroids (17-OHCS); study of Norymberski method for, 208
——*17-ketosteroids: see* Steroids, 17-KS
—— 17-KGS, 17-KS and pregnanetriol; comparison of methods for det'n of, 522
—— 17-OHCS and 17-KS excretion in man feminized by adrenocort. Ca., 310
—— 17-OHCS and 17-KS foll'g admin. of human pit. FSH and HCG, 1333
—— 17-OHCS and 17-KS in maternal & cord plasma in term anencephaly, 444
—— 17-OHCS and 17-KS, urinary; response to ACTH & HCG, 1315
—— 17-OHCS; depression of serum & urinary citric acid levels by, 1093
—— 17-OHCS; diurnal variation during pregnancy and in estrogen-treated man; comparison with 17-OHCS in woman with Cushing's syn., 1076
—— 17-OHCS excretion; effect of 17-ethyl, 19-nortestosterone on in hypercalciuria foll'g poliomyelitis, 860
—— 17-OHCS excretion in pituitary dwarfism; effect of cortisone, 679
—— 17-OHCS excretion in young girl with feminizing adrenal tumor, 318
—— 17-OHCS, free & conjug.; metabolism of, in thyroid disease; effect of cortisol & Tetra E, 167
—— 17-OHCS, free & conjug.; metabolism of in uremia, 36
—— 17-OHCS, 17-KS & eosinophils; effect of insulin coma on, 235
—— 17-OHCS; normal levels of in urine in adrenocort. insuff'y, 121
—— 17-OHCS of mother's plasma and of venous & arterial cord blood, 325
—— 17-OHCS of plasma and urine; effect of amphenone on in Cushing's syn., 134

ADRENAL (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— 17-OHCS of plasma and urine in thyrotoxicosis; effect of ACTH, 539
—— 17-OHCS of plasma; diurnal variation in severe brain damage, 764
—— 17-OHCS of plasma; effect of vehicle and route on ACTH-induced changes in, 882
—— 17-OHCS of plasma foll'g i.v. cortisol; effect of estrogen on in prednisone-treated arthritic, 1076
—— 17-OHCS of plasma in patients with abnormal glucose tolerance during pregnancy, 49
—— 17-OHCS, urinary, in eunuchism and feeblemindedness, 180
—— plasma corticosteroid levels in fatigued aircrewmen, 1440
—— prednisone; effect on adrenal response to ACTH in normal subjects & in Cushing's syn., 409
—— prednisone; 17-KS response to, as diagnostic test in masculinizing ovarian tumor, 794
—— Δ^4-pregnene-11β, 20β, 21-triol-3-one; identification of in urine of woman with severe hypopit'm after admin. of 11-dehydrocortisone acetate, 660
—— steroid excretion in interstitial-cell tumor of testis with gynecomastia, 834
—— tetrahydrocortisol, 3α-allotetrahydrocortisol & tetrahydrocortisone (urinary) in young & elderly men & women, 1285
ADRENALINE: *see* Adrenal preps., epinephrine
AGE: *see also* Children; Pregnancy, fetus
—— effect on excretion of urinary metabolites, THF, ATHF & THE, 1285
—— effect on half-life of admin'd adrenal steroids, 1127
—— effect on testosterone content of spermatic-vein blood, 966
—— in relation to biologic half-life of I^{131} in the thyroid of healthy males, 516
—— in relation to serum inorg. P in eunuchism & feeblemindedness, 180
—— various-aged normal males & females; excretion of ICSH in, 460
AIRCREWMEN after long flights; plasma corticosteroid levels, 1440
ÅLAND ISLANDS (Finland); iodine metabolism of endemic goiter on, 991
ALBERT method: *see* Methods, for HPG
ALBUMIN: *see* Protein
ALDOLASE: *see* Enzymes
ALDOSTERONE: *see* Adrenal preps. & comps.
3α-ALLOTETRAHYDROCORTISOL (ATHF): *see* Adrenal preps. & comps.
AMENORRHEA: *see* Menstruation; Pregnancy
AMERICAN CANCER SOCIETY, clinical fellowships, 120
AMERICAN DIABETES ASSOCIATION; joint session with The Endocrine Society at 1958 meeting; program, 550
AMERICAN GERIATRICS SOCIETY; 1958 Annual Meeting, 423
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— June 17–19, 1958, San Francisco, California (some sessions joint with The Endocrine Society); announcements of, 119, 233, 331, 422, 556 (with program), 676
—— Apr. 30–May 2, 1959, Chicago, Illinois; announcements of, 1143, 1314, 1448
Awards (Van Meter Prize; Award for Meritorious Service)
—— for 1958; announcements of, 119; recipients of, 1037
—— for 1959; announcements of, 1143, 1314, 1448
AMERICAN SOCIETY FOR STUDY OF STERILITY, grants-in-aid, 1309
AMPHENONE
—— effect on individual ketosteroids in adrenocort. Ca., 937
—— in treatment of Cushing's syn., 134
ANASARCA; plasma 17-OHCS in presence of, 36
ANDROGENS: *see also* Testis; Sex; Steroids
—— androgen metabolites, urinary; chromatographic procedure for det'n of, 643
—— androgen therapy in eunuchoidism with low FSH, 1
—— androgenic effect of prolonged methylestrenolone therapy in pregnancy, 1137
—— androgenic pattern of serum lipoproteins in response to CG in male hypogonadism, 1123
—— androsterone and etiocholanolone excretion in interstitial-cell tumor of testis with gynecomastia, 834
—— androsterone and etiocholanolone; fate of, in women (some with bile fistulas); metabolism of 4-C^{14}-testosterone, 1056
—— androsterone; effect of amphenone on excretion of in adrenocort. Ca., 937
—— androsterone excretion foll'g endocrine ablative surgery for breast Ca., 636
—— effect on olfactory perception thresholds in hypogonadal women, 379
—— 17-ethinyl-testosterone re masculinization of female fetuses, 559
—— 17-ethinyl-testosterone (anhydro-OH-progesterone): *see also* Progesterone
—— 17-ethyl, 19-nortestosterone (Nilevar); effect on hypercalciuria foll'g poliomyelitis, 860
—— 17-ethyl,19-nortestosterone (norethandrolone); effect on serum enzyme levels, 1308
—— etiocholanolone; thermogenic effect and metabolic fate of, 1043
—— in urine and tumor in case of virilizing adrenal adenoma, 1384
—— 17-methyl-19-nortestosterone; jaundice during admin. of, 114
—— methyltestosterone and/or ethisterone during gestation; masculinization of female fetuses, 559
—— testosterone; effect on 17-OHCS excretion, 1315
—— testosterone in treatment of pituitary dwarfism, 679
—— testosterone; microdetermination of in spermatic-vein blood, 966
ANDROSTERONE: *see* Androgens
ANEMIA: *see* Blood

ANENCEPHALY: *see* Brain; Children; Pregnancy
ANHYDROHYDROXYPROGESTERONE: *see* Progesterone
ANNOUNCEMENTS: *see* Endocrine Society; Am. Cancer Soc.; Am. Diabetes A.; Am. Geriatrics Soc.; Am. Goiter A.; Am. Soc. Study Sterility; Children's Hosp. of Philadelphia; Endocrinologistes de Langue Fr.; Fed. of Soc. of Gyn. & Ob. (French); Gerontological Soc.; Internat. Congress Clin. Path.; Internat. Fertility A.; Inter-Soc. Cytol. Council; Laurentian Hormone Conference; Nat. Cancer Inst.; Nat. Inst. of Health; New York Acad. Med.; New York Univ. PG Med. Sch.; Perspectives in Biology; Polish Soc. Int. Med.; Psychom. Med. (Acad.); Soc. Scientif. Study Sex.
ANNUAL MEETINGS: *see* Announcements
ANTIBODIES
—— antithyroid; detection of, 792
—— to thyroglobulin, 1015
ANTIDIURETIC HORMONE: *see* Pituitary preps. & comps.
ANTITHYROID
—— antibodies: *see* Antibodies
—— drugs: *see* Methimazole; Thyroid disorders, treatment
ARTERIAL *vs.* venous blood: *see* Blood; Vascular system
ARTHRITIS
—— rheumatoid; absorption of adrenocort. steroids from joint cavity (knee) into the circulation, 755
—— rheumatoid, prednisone-treated; effect of estrogen on plasma 17-OHCS foll'g i.v. cortisol, 1076
ASCITES: *see* Liver, cirrhosis
ASSAYS: *see* Methods
ATHEROGENESIS: *see* Vascular system
AUTHOR INDEX to Volume 18, 1451
AUTO-IMMUNIZATION in Hashimoto's disease; a review (Editorial), 1015
AWARDS: *see* Endocrine Society; Am. Goiter A.; Grants
AYERST FELLOWSHIP: *see* Endocrine Society, awards

BASAL METABOLISM
—— and serum lipoproteins; effect of triiodothyronine on in euthyroidism, 506
—— and serum PBI; effect of dinitrophenol on, 225
—— comparison of effects of different thyroid preps. on, 950
—— correlated with clinical severity of hyperthyroidism, 629
—— effect of fluorine on in hyperthyroidism, 1102
—— effect of iodine and thyroid preps. on: *see* Thyroid preps.
—— effect of triiodothyronine on in euthyroidism, 1024
—— hypometabolism, non-thyroidal; half-life on thyroxine^{131} in, 538
—— in thyroid disorders: *see* Thyroid disorders
—— metabolic insufficiency (Editorial), 531
—— relation between BMR & excretion of 17-OHCS in thyroid disease, 167
BILE; BILIARY fistula: *see* Liver
BLADDER: *see* Liver (gall bladder); Urethra, Urine (urinary bladder)
BLOOD: *see also* under constituent or under disorder involved
—— abnormal TSH in, 699
—— absorption of compounds E, F and Δ^1-F (acetates) from joint cavity into, 755
—— ACTH: *see* Pituitary preps. & comps.
—— adrenal-vein blood; effect of inhibitor of 11β-hydroxylase on 17-OHCS in, 906
—— anemia in case of myxedema with severe uterine bleeding, 492
—— anemia of hypothyroidism; pathogenesis of, 501
—— arterial *vs.* venous blood sugar response to glucagon-insulin mixture in diabetes, 825
—— auto-antibodies: *see* Antibodies; Auto-immunization
—— calcium: *see* Calcium
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol
—— conjugated and free 17-OHCS: *see* Adrenal preps. & comps.
—— corticoids; corticosteroids: *see* Adrenal preps. & comps.
—— corticosterone and cortisol; method for estimation of, 190
—— electrolytes: *see* Electrolytes; Potassium; Sodium
—— enriched blood smears for study of sex chromatin, 1432
—— enzymes: *see* Enzymes
—— eosinophils; effect of ACTH on as test of AC function, 736
—— eosinophils; effect of insulin coma on, 235
—— eosinophils: *see also* Adrenal physiology (function); Pituitary preps. & comps. (ACTH test)
—— erythrocytes, affinity for chromium^{51} in hypothyroidism; half-life, 501
—— erythrocytes; radioactivity assoc'd with, foll'g i.v. C^{14}-progesterone, 253
—— erythrocytes; sedimentation rate in subacute thyroiditis, 1407
—— glucose: *see* Carbohydrate metab.; Diabetes; Insulin
—— gonadotropin, chorionic: *see* Gonadotropins; Pregnancy
—— hydrocortisone: *see* Adrenal preps. & comps.
—— iodine: *see* Iodine
—— iodotyrosines and iodothyronines: *see* Iodine; Thyroid preps, & comps.
—— leukemia, chronic, lymphatic; metabolism of hydrocortisone-4-C^{14} in, 694
—— leukocytes re genetic sex: *see* Sex, chromatin
—— leukocytosis foll'g injection of etiocholanolone, 1043
—— lipids and lipoproteins: *see* Lipids; Proteins
—— 17-OHCS: *see* Adrenal preps. & comps.
—— oxytocin of, in lactating women, 54
—— phosphorus: *see* Phosphorus

BLOOD (*cont.*)
—— placental; ketopregnene metabolites of progesterone in, 337
—— plasma patterns of adrenal hormones: *see* Adrenal preps. & comps.
—— plasma patterns of thyroid hormones: *see* Thyroid preps. & comps.
—— plasma *vs.* serum; 17-OHCS of, in normal males & females, 49
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— progesterone: *see* Progesterone
—— proteins: *see* Protein; Nitrogen
—— radioiodine: *see* Iodine, radioactive
—— serum from pregnant women: resin-uptake of radiothyroxine in, 1437
—— smears for detection of genetic sex: *see* Sex, chromatin
—— spermatic-vein blood; microdet'n of testosterone in, 966
—— steroids: *see* Adrenal preps. & comps.; Steroids
—— sugar: *see* Carbohydrate metab.; Diabetes; Insulin
—— thyroid substances in: *see* Thyroid preps. & comps.
—— triiodothyronine and other iodinated substances: *see* Thyroid preps. & comps.
—— TSH: *see* Pituitary preps. & comps.
—— venous *vs.* arterial cord blood; 17-OHCS in, 325
—— volume and Hgb changes during Na deprivation, 1159
BONE: *see also* Calcium; Joints; Parathyroids
—— bone formation rate in metabolic bone disease (osteoporosis, osteitis deformans, familial hyperostotis, hypoparathy'm); radiocalcium studies of, 1246
—— hypertrophic osteoarthropathy and pretibial myxedema assoc'd with Graves' disease, 1302
—— osteoporosis; concerning the reversibility of, 1028
—— osteoporosis in hyperadrenocorticism; question of reversibility; comparison with healing in scurvy, 1131
—— osteoporosis; reversibility of, in Cushing's disease, 61
BOOK REGISTER: 334, 677, 812, 1040, 1145, 1449
BRAIN: *see also* Mental; Nervous system
—— anencephalic infants; somatic sex of, 327
—— anencephaly, term; 17-OHCS and 17-KS in maternal & cord plasma; adrenal histology, 444
—— cerebrospinal fluid proteins in myxedema, 470
—— electroencephalogram in acute adrenocort. insuff'y foll'g severe burn, 284
—— hypothalamus-pars nervosa; release of oxytocin in lactating women, 54
—— severe brain damage; diurnal variation of plasma 17-OHCS in, 764
BREAST: *see also* Ovary
—— advanced carcinoma of; effect of ablative surgery on urinary 17-KS, 636
—— cancer; pregnant patient hypophysectomized for; no lactation; hormonal studies, 425
BREAST (*cont.*)
—— gynecomastia and interstitial-cell tumor of testis, 834
—— gynecomastia: *see also* Testis, disorders
—— lactating and nonlactating women; oxytocin in blood of, 54
—— mammary carcinoma patient; metabolism of progesterone by adrenal tissue from, 109
BURN, severe; acute adrenocortical insuff'y foll'g; refractoriness to ACTH test after recovery, 284
BUTANOL-EXTRACTABLE IODINE (BEI): *see* Iodine

C^{14}: *see* Radioactive
C_{19} and C_{21} STEROIDS: *see* Steroids
C_{21}-DESOXYSTEROID: *see* Steroids
CALCIUM: *see also* Bone; Parathyroids
—— and citric acid metabolism; effect of 17-OHCS on, 1093
—— C^{45} studies of bone formation rate in metabolic bone disease, 1246
—— hypercalcemia in a case of thyrotoxicosis; metabolic observations; effect of high P diet, 477
—— hypercalciuria foll'g poliomyelitis; amelioration by 17-ethyl,19-nortestosterone, 860
—— hypocalcemic hypercalciuria during vitamin D and dihydrotachysterol therapy of hypoparathyroidism, 246
CANCER: *see also* under organ involved
—— heterotransplantation of adrenocort. carcinoma, 310
—— mammary; metabolism of progesterone by adrenal tissue from patient with, 109
—— of thyroid: *see* Thyroid disorders
—— patients bilat'y adrenalectomized for: *see* Adrenal disorders
—— patients hypophysectomized for: *see* Pituitary disorders
—— persistent thyroid carcinoma, 91
CARBOHYDRATE METABOLISM: *see also* Diabetes; Insulin
—— abnormal glucose tolerance during pregnancy; plasma 17-OHCS in, 49
—— glucagon; effects on renal function and carbonic anhydrase; comparison with glucose data, 813
—— glucagon-insulin mixtures; action of, in diabetes (arterial and venous glucose levels), 825
—— glucose and insulin tolerance in women hypophysect'd during pregnancy, 425
—— glucose of cerebrospinal fluid in myxedema, 470
—— insulin coma; adrenocortical response to, 235
CARBON (C^{14}): *see* Radioactive
CARBONIC ANHYDRASE: *see* Enzymes
CARCINOMA: *see* Cancer; and under organ involved
CASTRATES: *see* Ovary; Testis
CELLS
—— delta cell of adenohypophysis; response to acute & chronic illness, 917
—— determination of sex by nuclear chromatin pattern: *see* Sex
—— interstitial (Leydig): *see* Testis

CELLS (*cont.*)
—— non-nucleated, of urine; diagnostic value of, 1369
CEREBROSPINAL FLUID proteins in myxedema; electrophoretic partition, 470
CHILDREN: *see also* Familial; Pregnancy; and under various endocrine disorders
—— concerning the reversibility of osteoporosis in, 61, 1028, 1131
—— cretins and juvenile hypothyroidism: *see also* Thyroid disorders, hypothyroidism
—— excretion of estriol in; effect of ACTH, 1274
—— girl aged 5½ with precocity due to feminizing adrenal tumor, 318
—— half-life of adrenal steroids in, according to age, 1127
—— infants, anencephalic; 17-OHCS & 17-KS in cord plasma; adrenal histology, 444
—— infants, anencephalic; somatic sex of, 327
—— juvenile hypothyroidism with precocious sexual development; effect of thyroid, 886
—— newborns; 17-OHCS of venous and arterial cord blood, 325
—— newborns; serum transaminase activity in, 872
—— osteoporosis of Cushing's syndrome, 61, 1028, 1131
—— pituitary dwarfism: *see* Pituitary disorders
—— plasma corticosteroid levels in, 190
—— precocious puberty: *see also* Puberty
—— pre-pubertal males and females; ICSH excretion in, 460
CHILDREN'S HOSPITAL of Philadelphia: courses in pediatrics, 423
CHLORIDE (SALT): *see* Electrolytes; Sodium
CHOLESTEROL (of serum): *see also* Lipids
—— and lipoproteins ; effect of triiodothyronine on in hyperthyroidism, 506
—— comparison of effects of 3 thyroid preps. on, 950
—— correlated with severity of hyperthyroidism, 629
—— effect of CG on in male hypogonadism, 1123
—— effect of insulin on in diabetes, 1418
—— effect of tranquilizing drugs on, 1296
—— females *vs.* males re effect of *l*-triiodothyronine on, 721
—— in nonthyroidal hypometabolism, 538
—— in pituitary dwarfism, 679
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMATIN, sex: *see* Sex
CHROMATOGRAPHY: *see* Methods
CHROMIUM^{51}: *see* Radioactive
CHROMOPHOBE ADENOMA: *see* Pituitary disorders
CHROMOSOMAL SEX: *see* Sex
CIBA AWARD: *see* Endocrine Society, awards
CIRCULATION: *see* Blood; Vascular system
CIRRHOSIS: *see* Liver
CITRIC ACID of serum and urine; depression of by 17-OHCS, 1093
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary; Uterus
CLUBBING of fingers: *see* Bone, hypertrophic osteoarthropathy
COBALTOUS CHLORIDE, labeled and unlabeled; effect on thyroidal, fecal & urinary radioactivity in man, and tissue radioactivity in rats, 850
COLLABORATIVE ASSAYS
—— of 2 local standards for HPG, 1428
—— of 2 urinary preps. of HPG, 1117
CONFERENCES: *see* Announcements
CONGENITAL: *see also* Children; Familial; Hermaphrodism; and under various endocrine disorders
—— adrenal hyperplasia: *see* Adrenal disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— goiter: *see* Thyroid disorders
—— gonadal dysgenesis: *see* Ovary; Testis
CONGRESSES: *see* Announcements
CONJUGATED steroids: *see* Adrenal preps. & comps.; Steroids
CONTENTS OF VOLUME 18 page i (December issue)
CORRECTION, 916
CORTICOIDS; CORTICOSTEROIDS: *see* Adrenal preps. & comps.; Steroids
CORTICOSTERONE: *see* Adrenal preps. & comps.
CORTICOTROPIN: *see* Pituitary preps. & comps., ACTH
CORTISOL: *see* Adrenal preps. & comps.
CORTISONE: *see* Adrenal preps. & comps.
COURSES
—— Endocrinology
—— assembly, postgraduate, in endocrinology & metabolism: *see* Endocrine Society, Postgraduate Assembly
—— gynecological endocrinology, 333, 811 (NYU PG Med. School)
—— hormone conference, Laurentian, 332
—— Pediatrics: Children's Hospital of Philadelphia, 423
—— Research medicine: N. Y. Acad. Medicine, 916
—— Steroid biochemistry: training program (Nat. Cancer Inst.), 234
CREATINE; CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis
CUSHING'S SYNDROME: *see also* Adrenal disorders
—— adrenal tissue from patient with; metabolism of progesterone by, 109
—— body Na and K composition in; effect of bilateral adrenalectomy, 611
—— citric acid of serum and urine in, 1093
—— corticosteroid excretion patterns in; effect of ACTH, 391
—— effect of a C_{21}-desoxysteroid (U-8614) on adrenal function in, 790
—— effect of inhibition of 11β-hydroxylation on adrenal steroid patterns (adrenal-vein blood; urine), 906
—— estrogen excretion pattern in, 15
—— non-tumorous, treated & untreated; effect of prednisone on adrenal response to ACTH in , 409
—— osteoporosis in; question of reversibility of, 61, 1028, 1131
—— pattern of daily plasma 17-OHCS, 1076
—— pattern of urinary steroids in, 643

CUSHING'S SYNDROME (*cont.*)
—— stimulation and suppression of adrenal cortex in, 586
—— two cases, one with probable thymoma; treatment with amphenone, 134
—— with adrenocortical Ca.; effect of amphenone on individual ketosteroids in, 937
—— women bilat'y adrenalect'd for; origin of aldosterone in, during pregnancy, 222

21-DEHYDROXYLATION; absence of, in congenital adrenal hyperplasia, 694
DELTA CELL: *see* Pituitary, physiology
DE(S)OXYCORTICOSTEROIDS; DE(S)OXYCORTICOSTERONE: *see* Adrenal preps. & comps.
DESOXYSTEROIDS: *see* Steroids
DIABETES INSIPIDUS: *see* Pituitary disorders; Water
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin
—— action of glucogen-insulin mixtures in (arterial and venous glucose levels), 825
—— glucose (sugar) tolerance tests: *see also* Carbohydrate metabolism
—— insulin: *see also* Insulin
—— lipoproteins of serum in; effect of insulin, 1418
DIET
—— dietary sodium deprivation; role of adrenal cortex in normal adaptation to; signif. of aldosterone secretion during, 1147, 1159
—— high phosphate diet; effect in thyrotoxicosis with hypercalcemia, 477
DIHYDROTACHYSTEROL and vitamin D; hypocalcemic hypercalciuria during treatment of hypoparathyroidism with, 246
DIIODOHYDROXYQUIN (Floraquin) vaginal suppositories; effect on serum PBI, 417
DIIODOTHYRONINE: *see* Thyroid preps. & comps.
DIIODOTYROSINE: *see* Thyroid preps. & comps.
DINITROPHENOL; serum PBI and BMR after admin. of, 225
DIURESIS: *see* Kidney; Pituitary disorders, diabetes insipidus; Pituitary preps. & comps., vasopressin (Pitressin); Water
DIURNAL variation of plasma 17-OHCS in severe brain damage, 764
DWARFISM: *see also* Children; and under various endocrine disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— pituitary dwarf treated with human growth hormone; serum P, 901
—— pituitary dwarfism; diagnosis and treatment, 679
DYSGENESIS, gonadal: *see* Sex; Ovary; Testis
DYSMENORRHEA: *see* Menstruation

EDEMA: *see also* Kidney; Pregnancy, toxemia; Water
—— edema associated with primary aldosteronism, 323
—— plasma 17-OHCS in presence of anasarca, 36
EDITOR, Letters to: *see* Letters to the Editor
EDITORIALS, 531, 1015
ELECTROLYTES: *see also* Calcium; Magnesium; Potassium; Sodium
—— body electrolyte measurements (incl. Na/K ratios) in adrenal dysfunct.; effect of adrenal hormones, 611
—— chloride, Na and K balances in primary aldosteronism; effect of aldosterone antagonist on, 787
—— effects of glucagon on renal clearance ratios & plasma levels of, 813
ELECTROENCEPHALOGRAM: *see* Brain
ENDEMIC GOITER: *see* Thyroid disorders
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; and under various glands
—— ablative surgery; effect on urinary 17-KS in advanced Ca. of breast, 636
ENDOCRINE SOCIETY
ANNUAL MEETINGS
Fortieth, San Francisco, California, June 19–21, 1958
—— announcements of, 116, 231, 329, 420, 545, 673
—— program (some sessions joint with Am. Goiter A. and with Am. Diabetes A.), 545
Forty-first, Atlantic City, N.J., June 4–6, 1959
—— announcements of, 913, 1033, 1139, 1310, 1444
AWARDS (Medal of the Endocrine Society; Ciba Award; Ayerst Fellowship; Squibb Fellowship; Schering Scholar; Upjohn Scholar)
For 1958
—— announcements of, 117, 231, 329, 420, 553, 673
—— recipients of, 800
For 1959
—— announcements of, 805, 913, 1034, 1140, 1311, 1445
—— Koch Medal, announcements of, 914, 1035, 1140, 1311, 1445
FELLOWSHIPS: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM: *see* Journal
MEDAL: *see* Endocrine Society, awards
OFFICERS, COUNCIL, PUBLICATIONS COMMITTEE, EDITORIAL BOARD AND EDITORS
—— *For 1957–58: see* general information pages, front adv. section, Jan.–June issues
—— *For 1958–59: see Ibid.*, July–Dec. issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY AND METABOLISM (Tenth; Syracuse, N.Y., Sept. 29-Oct. 3, 1958; sponsored jointly with the Univ. of New York, Upstate Medical Center)
—— announcements of, 676, 808 (with program), 913, 1033
SCHOLARS: *see* Endocrine Society, awards
ENDOCRINOLOGISTES de Langue Française, 5th Réunion (1959), 1039
ENDOCRINOLOGY
—— assemblies, conferences, meetings: *see* Endocrine Society; and under Announcements
—— courses: *see* Courses
ENDOMETRIUM: *see* Uterus; Menstruation

ENZYMES
—— alk. phosphatase in serum of pituitary dwarf treated with human growth hormone, 901
—— carbonic anhydrase activity; effect of glucagon on, 813
—— 11β-hydroxylation inhibited by SU-4885; effect on adrenal steroid patterns (adrenal-vein blood; urine), 906
—— of serum (transaminase, lactic dehydrogenase, aldolase); effect of norethandrolone on, 1308
—— transaminase activity (glutamic-oxalacetic) of serum in toxemic and normal pregnancies and in newborns, 872
—— transaminase and pyridoxine (vit. B_6); relationship in pregnancy, 878
EOSINOPHILS: *see* Blood
EPIMERS: *see* Steroids
EPINEPHRINE: *see* Adrenal preps. & comps.
ERYTHROCYTES: *see* Blood
ESTRADIOL; ESTRIN: ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Menstruation; Ovary; Pregnancy; Progesterone; Sex; Steroids; Uterus
—— and 17-KS excretion in ovariect'd women receiving ACTH, 1268
—— effect on non-nucleated cell of urinary sediment; diagnostic value, 1369
—— effect on 17-OHCS excretion, 1315
—— effect on olfactory perception threshold in hypogonadal women, 379
—— effect on plasma 17-OHCS foll'g i.v. cortisol in prednisone-treated arthritic patient, 1076
—— estriol in urine; simplified method for routine measurement of, 1274
—— estrogen-treated man with Ca. of prostate; diurnal pattern of plasma 17-OHCS in, 1076
—— estrogens + androgens in treatment of pituitary dwarfism in girls, 679
—— excretion; effect of human pit. FSH and HCG on, 1333
—— excretion in familial true hermaphrodism, 1349
—— excretion in interstitial-cell tumor of testis with gynecomastia, 834
—— excretion in man feminized by adrenocort. Ca.; cont'd secretion of estrogen by transplanted tumor, 310
—— excretion in woman hypophysect'd during pregnancy, 425
—— excretion in young girl with feminizing adrenal tumor, 318
—— in urine and tumor in case of virilizing adrenal adenoma; vaginal smears, 1384
—— levels; relation to fern-leaf formations in saliva, 1434
—— pattern of estrogen excretion in Cushing's syn. 15
—— therapy in eunuchoidism with low FSH; effect on 17-KS, 1
17-ETHINYL-TESTOSTERONE (ethisterone, anhydro-OH-progesterone): *see* Progesterone
ETIOCHOLANOLONE: *see also* Adrenal preps. & comps.
—— fate of, in women; metabolism of 4-C^{14}-testosterone, 1056
ETIOCHOLANOLONE (*cont.*)
—— thermogenic effect and metabolic fate of, in man, 1043
EUNUCHISM; EUNUCHOIDISM: *see* Ovary; Testis; Pituitary disorders
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see also* Thyroid disorders
—— exophthalmos; relation of abnormal TSH to, 699

FALLOPIAN TUBE: *see* Ovary
FAMILIAL: *see also* Children
—— hyperostosis: *see* Bone
—— true hermaphrodism in genetic females, 1349
—— twins: seminiferous tubule dysgenesis in, 1359
FAT: *see also* Cholesterol; Lipids
—— fat tissue; a factor in measuring body Na & K ratios in treated Addison's disease, 611
—— fat tissue in relation to non-thyroidal hypometabolism, 538
—— fat tissue; isolation of ketopregnene metabolites of progesterone from, 337
FATIGUE; effect on plasma corticosteroid levels, 1440
FECES: *see* Gastro-intest. tract
FEDERATION OF SOCIETIES of Gynecology and Obstetrics (French Language); 18th Congress, 916
FEEBLE-MINDED STATES: *see* Mental
FELLOWSHIPS: *see* Endocrine Society, awards; and under Grants
FEMINIZATION: *see* Ovary; Sex
FERN-LEAF PATTERNS; spontaneous formation of in human saliva, 1434
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS: *see* Pregnancy; Children, newborns
FIBRINOGEN: *see* Proteins, plasma
FINLAND: *see* Åland Islands
FLORAQUIN: *see* Diiodohyroxyquin
FLUORINE; effect on thyroidal iodine metabolism in hyperthyroidism, 1102
FLUOROHYDROCORTISONE: *see* Adrenal preps. & comps.
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins; Pituitary preps. & comps.
FOOD: effect on 3-hour thyroidal I^{131} uptake, 1029
FSH: *see* Gonadotropins; Pituitary, preps. & comps.

GALL BLADDER: *see* Liver
GASTRO-INTESTINAL TRACT
—— fecal and urinary radioactivity foll'g i.v. $cobalt^{60}$, 850
—— feces, bile and urine; excretion of radioactivity in foll'g i.v. C^{14}-progesterone, 253
—— food; effect on 3-hour thyroidal uptake of I^{131}, 1029
GENETIC
—— abnormalities: *see* Hermaphrodism; Ovary; Sex; Testis; and under specific endocrine gland or disease
—— sex: *see* Sex; Ovary; Testis

GERONTOLOGICAL SOCIETY, Annual Meeting, 810
GLENN-NELSON method: *see* Methods
GLOBULINS: *see* Protein
GLUCAGON: *see* Carbohydrate metabolism; Diabetes mellitus
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
GLUTAMIC-OXALACETIC TRANSAMINASE: *see* Enzymes
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mellitus
GOITER: *see* Thyroid, disorders
GONADAL DYSGENESIS: *see* Ovary; Sex; Testis
GONADOTROPINS: *see also* Pituitary, preps. & comps.
—— chorionic; androgenic response of serum lipoprotein pattern to in male hypogonadism, 1123
—— chorionic; effect in treatment of pituitary dwarfism, 679
—— chorionic, in pregnancy: *see also* Pregnancy
—— chorionic, in woman hypophysect'd during pregnancy, 425
—— excretion in familial true hermaphrodism, 1349
—— excretion in hypogonadal women studied re olfactory perception threshold, 379
—— HCG; adrenal and testicular response to, 1315
—— HCG and FSH; clinical effects of, 1333
—— HCG and FSH in the treatment of eunuchoidism with low urinary FSH (both sexes), 1
—— HPG; collaborative assays of 2 local standards, 1428
—— HPG; collaborative assays of 2 urinary preps. of, 1117
—— HPG compared with sheep FSH, 1216
—— HPG; day-to-day fluctuation in excretion of, in a postmenopausal woman, 453
—— HPG; extraction and purification of, 600
—— HPG from urine of normal men, and postmenop. & castrated women; characterization of, 843
—— HPG (urine) and HCG (urine); comparison, 1067
—— ICSH and FSH activity; excretion of during menstrual cycle and in reproductive disorders, 1186, 1202
—— ICSH excretion in normal males and females of various ages, 460
—— pituitary, in relation to non-nucleated cell of urinary sediment, 1369
—— pituitary; relation to delta cells of the adenohypophysis, 917
—— urinary, in a case of hyperthyroidism with postpartum necrosis of the pituitary, 271
—— urinary, in cases of interstitial-cell tumor of testis with gynecomastia, 834
—— urinary, in juvenile hypothyroidism with precocious sexual development; effect of thyroid, 886
—— urinary in pituitary dwarf (male), 901
—— urinary, in pituitary dwarfism, 679
—— urinary, in Turner's syndrome, 892
GONADS: *see* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Sex; Testis
GRANTS: *see* Endocrine Society, awards; Am. Soc. for Study of Sterility, grants-in-aid; Nat. Cancer Institute, training program
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see* Children: Dwarfism; Pituitary preps. & comps., growth hormone
GYNECOMASTIA: *see* Breast

HAIR
—— hirsutism; stimulation and suppression of adrenal cortex in women with, 586
—— hirsutism: *see also* Adrenal disorders, virilizing; Cushing's syndrome; Ovary (Stein-Leventhal syndrome)
—— hypertrichosis; effect of removal of virilizing adrenal adenoma, 1384
HASHIMOTO'S DISEASE: *see* Thyroid disorders
HCG (human chorionic gonadotropin): *see* Gonadotropins
HEART
—— cobalt^{60} radioactivity in foll'g i.v. injection (rats), 850
—— large, in patient with hyperthyroidism & pit. chromophobe adenoma, 266
HEAT
—— effect on activity of HCG, 1315
—— fever; *see* Temperature
—— thermal injury: *see* Burn
HEPATIC: *see* Liver
HEREDITY: *see* Familial
HERMAPHRODISM: *see also* Adrenal disorders; Ovary; Sex; Testis
—— familial, true, in pre- and postpuberal genetic females, 1349
—— non-adrenal fetal female pseudohermaphrodism assoc'd with admin. of progestin to mothers, 559
HIRSUTISM: *see* Hair
HORMONES: *see* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; and under various endocrine glands
HPG (human pituitary gonadotropin): *see* Gonadotropins
HYDROCORTISONE: *see* Adrenal preps. & comps.
17-HYDROXYCORTICOSTEROIDS (17-OHCS): *see* Adrenal preps. & comps.
11β-HYDROXYLATION: *see* Enzymes
17-HYDROXYPROGESTERONE: *see* Progesterone
HYDROXYZINE: *see* Tranquilizing drugs
HYPERCALCIURIA: *see* Calcium
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus
HYPEROSTOSIS, familial: *see* Bone
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair
HYPERTROPHIC OSTEOARTHROPATHY: *see* Bone
HYPOGENITALISM: *see* Ovary; Testis
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
HYPOGONADISM: *see* Ovary; Testis
HYPOMETABOLISM: *see* Basal metabolism; Thyroid disorders
HYPOPHYSECTOMY; HYPOPHYSIS: *see* Pituitary
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS: *see* Brain

HYPOTHYROIDISM: *see* Thyroid disorders, hypothyroidism

ICSH (interstitial cell-stimulating hormone): *see* Gonadotropins; Pituitary preps. & comps.
ICTERUS: *see* Liver, jaundice
ILLNESS, acute or chronic, terminal; delta cell of adenohypophysis in, 917
IMMUNOLOGY: *see* Antibodies; Auto-immunization
INDEX TO VOLUME 18: author, 1451; subject, 1458
INFANTS: *see* Children; Pregnancy, fetus
INFERTILITY: *see* Ovary; Testis; Sex
INFLAMMATORY reaction induced by etiocholanolone, 1043
INHIBITOR OF TSH in human urine, 278
INSULIN: *see also* Carbohydrate metabolism; Diabetes mellitus
—— effect on plasma 17-OHCS in pregnant women with abnormal glucose tolerance, 49
—— effect on serum lipoproteins in diabetes, 1418
—— entire course of insulin-coma therapy; effect on 17-OHCS, 17-KS & eosinophils, 235
—— insulin-glucagon mixtures; action of, in diabetes (arterial & venous glucose levels), 825
—— sensitivity to, in pituitary dwarfism, 679
—— tolerance in woman hypophysect'd during pregnancy, 425
INTERNATIONAL Congress of Clinical Pathology (1960), 1039
INTERNATIONAL Fertility Association; 3rd World Congress on Fertility & Sterility, 424
INTERSEX: *see* Hermaphrodism; Sex
INTER-SOCIETY Cytology Council, Annual Meeting, 424
INTERSTITIAL-CELL STIMULATING HORMONE: *see* Gonadotropins; Pituitary preps. & comps.
INTERSTITIAL-CELL TUMOR: *see* Testis
IODINE: *see also* Thyroid
—— BEI and renal concentrating ability in thyrotoxicosis, 1135
—— BEI of serum; micro-method for, 774
—— diiodohydroxyquin (Floraquin) vaginal suppositories; effect on serum PBI, 417
—— iodide; effect on release of thyroid hormone in methimazole-treated cases of hyperthyroidism; action of TSH, 367
—— iodide of serum after i.v. I^{131}-triiodothyronine, 713
—— iodinated compounds: *see also* Thyroid preps. & comps.
—— iodine-induced myxedema; I^{131} metabolism in, 79
—— iodine metabolism in hyperthyroidism; effect of fluorine on, 1102
—— iodine metabolism of endemic goiter on Åland Islands, 991
—— iodotyrosines and iodothyronines (peptide-linked) of blood in case of congenital goiter, 158
—— Lugol's solution preoperatively; effect on I^{131} metabolism of thyroid slices, 354

IODINE (*cont.*)
—— PBI and BMR after admin. of dinitrophenol, 225
—— PBI and conversion ratio; correlation with clinical severity of hyperthyroidism, 629
—— PBI and I^{131} uptake; effect of tranquilizing drugs on, 1296
—— PBI and I^{131} uptake in pituitary dwarfism, 679
—— PBI and Mg of serum in thyroid disease, 1111
—— PBI; comparison of effects of 3 thyroid preps. on in myxedema, 950
—— PBI decreased during treat. with triiodothyronine, 531
—— PBI; effect of *l*-triiodothyronine on, 721
—— PBI in euthyroid patients treated with triiodothyronine, 1024
RADIOACTIVE
—— I^{131}; biologic half-life in thyroid of healthy males, 516
—— I^{131} clearance and uptake correlated with clinical severity of hyperthyroidism, 629
—— I^{131}-diiodotyrosine and thyroxine; metabolism of in case of congenital goiter with iodotyrosines in blood, 158
—— I^{131} in study of effect of iodide on thyroid hormone release in hyperthyroidism; action of TSH, 367
—— I^{131} in study of iodine metabolism of endemic goiter on Åland Islands, 991
—— I^{131} metabolism in thyroid slices from patients with various thyroidal disorders, 354
—— I^{131}-thyroxine in study of *in vivo* conversion to 3:5:3′-triiodothyronine, 903
—— I^{131}-triiodothyronine and thyroxine in study of effect on thyroid function in euthyroidism, 1024
—— I^{131}-triiodothyronine; metabolism of, 713
—— I^{131} uptake and BMR in euthyroid subjects treated with triiodothyronine, 506
—— I^{131} uptake and PBI; effect of tranquilizing drugs on, 1296
—— I^{131} uptake and PBI in hyperthyroidism treated with fluorine, 1102
—— I^{131} uptake and PBI in iodine-induced myxedema, 79
—— I^{131} uptake and PBI in non-thyroidal hypometabolism, 538
—— I^{131} uptake and PBI in patient with a carcinoma in a "hot" nodule of the thyroid (scintigrams), 1132
—— I^{131} uptake and PBI in patient with pit. chromophobe adenoma and hyperthyroidism, 266
—— I^{131} uptake and PBI in subacute thyroiditis, 65
—— I^{131} uptake and PBI in woman hypophysect'd during pregnancy, 425
—— I^{131} uptake; effect of cobalt on, 850
—— I^{131} uptake (3-hour & 24-hour); effect of food on, 1029
—— plasma I^{131} of g. pigs. in test for TSH content of thyrotoxic serum, 699

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
—— radiothyroxine; resin uptake of, in sera of pregnant women, 1437
—— rapid radioiodine suppression test for hyperthyroidism using triiodothyronine, 797
IODOTHYRONINES: *see* Iodine; Thyroid preps. & comps.
IODOTYROSINES: *see* Iodine; Thyroid preps. & comps.
IRRADIATION: *see* Radioactive; and Roentgen ray
ISOTOPES: *see* Radioactive; Steroids

JAUNDICE: *see* Liver
JOINTS: *see also* Bone
—— arthritis: *see* Arthritis
—— synovial cavity of knee; absorption of compounds E. F. and Δ^1-F (acetates) from, into the circulation, 755
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM
—— Acknowledgments, 810
—— Contents of Volume 18 (1958), page i, December issue
—— Editorial Board, Editors, Publications Committee: *see* editorial page, front adv. section, each issue
—— Editorials: *see* Editorials
—— Index, year 1958 (Volume 18): author, 1451; subject, 1458
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

Δ^4-3-KETO AND α-KETOLIC STEROIDS: *see* Adrenal preps. & comps., corticosteroid metabolites
17-KETOGENIC STEROIDS: *see* Adrenal preps. & comps., 17-OHCS; Steroids
Δ^4-3-KETOPREGNENE-20α-OL (AND β-OL); isolation, identification, biologic activity & conc. in human tissues, 337
KETOPREGNENES: *see also* Progesterone; Pregnenes
17-KETOSTEROIDS: *see* Steroids; Adrenal preps. & comps.
KIDNEY: *see also* Urethra; Urine
—— acetazolamide and K; effect on adrenal adaptation to Na deprivation in normal males, 1159
—— diuresis: *see also* Pituitary disorders (diabetes insipidus); Pituitary preps. & comps. (vasopressin, Pitressin); Water
—— renal concentrating ability in thyroxoticosis, in response to vasopressin, 1135
—— renal function; effects of glucagon on, 813
—— renal functions; absence of phosphaturic response to probenecid in hypoparathyroidism, 769
—— renal regulation of phosphorus excretion, 981
—— role of, in magnesium deficiency of primary aldosteronism, 1178
—— uremia; metabolism of free & conjug. 17-OHCS; effect of diuresis, 36
—— water loading test in pituitary dwarfism, 679
KIDNEY (*cont.*)
—— water loading test, simplified, in hypoadrenocorticism & hypothyroidism, 1413
KLINEFELTER'S SYNDROME: *see* Testis; Sex
KOCH MEDAL OF THE ENDOCRINE SOCIETY; announcement of, 914

LACTATION: *see* Breast; Pregnancy
LACTIC DEHYDROGENASE: *see* Enzymes
LAURENTIAN HORMONE CONFERENCE, program, 332
LETTERS TO THE EDITOR, 109, 114, 222, 225, 227, 323, 325, 327, 538, 539, 543, 662, 666, 787, 790, 792, 794, 797, 901, 903, 906, 1024, 1028, 1029, 1117, 1123, 1127, 1131, 1132, 1135, 1137, 1308, 1428, 1432, 1434, 1435, 1437, 1440
LEUKEMIA: *see* Blood
LEUKOCYTES: *see* Blood; and Sex, chromatin
LEYDIG CELLS: *see* Testis
LIPIDS: *see also* Cholesterol; Protein, lipoproteins
—— and lipoproteins of serum; androgenic pattern of, in response to CG in male hypogonadism, 1123
—— and lipoproteins of serum in hyperthyroidism and euthyroidism; effect of triiodothyronine on, 506
LIPOPROTEINS: *see* Lipids; Protein
LIVER
—— biliary fistula; metabolic fate of C^{14}-progesterone in cases of, 253
—— biliary fistula; metabolism of 4-C^{14}-progesterone in postmenop. woman with, 972
—— biliary fistula; metabolism of 4-C^{14}-testosterone in women with; etiocholanolone & androsterone, 1056
—— bromsulfalein retention; effect of norethandrolone on, 1308
—— cirrhosis; divergence in Mg, Ha & K excretion during stimulation of aldosterone secretion (Na & K restriction studies), 1178
—— cirrhosis; urinary aldosterone in, 643
—— cobalt^{60} radioactivity in, foll'g i.v. injection (rats), 850
—— jaundice assoc'd with prolonged methylestrenolone therapy in pregnancy, 1137
—— jaundice during admin. of methylestrenolone, 114
—— liver injury (in pregnancy); serum transaminase activity in, 872
LORAINE-BROWN method: *see* Methods, for HPG
LUNGS; pneumonitis (fatal) post partum in hypophysect'd woman, 425

MAGNESIUM
—— divergence in Mg, Na & K excretion during stimulation of aldosterone secretion (Na & K restriction studies), 1178
—— of serum; filterability of, in hypo- and hyperthyroidism, 1111
MAMMARY GLAND: *see* Breast
MASCULINIZATION: *see* Hermaphrodism; Sex; Testis
MEDAL: *see* Endocrine Society, awards
MEETINGS: *see* Announcements

MELANOPHORE-STIMULATING HORMONE: *see* Pituitary preps. & comps.
MENOPAUSE: *see* Menstruation; Ovary; Uterus
MENSTRUATION: *see also* Estrogens; Progesterone; Ovary; Uterus
—— amenorrhea; effect of human pit. FSH and HCG in, 1333
—— amenorrhea with virilizing adrenal adenoma; urinary 17-KS and estrogen; vaginal smears, 1384
—— concentration of ketopregnene metabolites of progesterone in ovary during menstrual cycle, and in fat tissue of postmenop. women, 337
—— dysmenorrhea; oral relaxin for, 1435
—— menstrual cycle; changing ovarian function in, as measured by new method for urinary pregnanediol, 300
—— menstrual cycle; estriol and pregnanediol excretion during, 1274
—— menstrual cycle; ICSH excretion during, 460
—— menstrual cycle; spontaneous formation of fern-leaf patterns in saliva during, 1434
—— normal and abnormal menstrual cycles; ICSH and FSH urinary activity during, 1186, 1202
—— normal cycle and menstrual disorders (incl. anovulatory cycles); diagnostic value of non-nucleated cell or urinary sediment in, 1369
—— postmenopausal and castrated women; character of HPG in urine, 843
—— postmenopausal urine; standards for HPG content, 600
—— postmenopausal women; day-to-day fluct. in excretion of HPG, 453
—— postmenopausal woman with biliary fistula; metabolism of progesterone-4-C^{14} in, 972
—— postmenopausal woman with Cushing's syn.; estrogen excretion pattern in, 15
—— premenarchal menopausal syndrome (high FSH); comparison with eunuchoidism and low FSH, 1.
—— severe uterine bleeding in myxedema; effects of thyroid therapy, 492
—— sexual precocity: *see also* Adrenal disorders; Ovary; Testis
—— vaginal bleeding in sexually precocious hypothyroid child, 886
MENTAL: *see also* Brain; Nervous system
—— chronic psychiatric patients; physiologic effects of *l*-triiodothyronine in, 721
—— feeble-minded states; inorg. P of serum in, 180
—— I.Q. and personality development in pituitary dwarfism, 679
—— psychogenic amenorrhea; urinary ICSH and FSH activity in, 1202
—— schizophrenic patients; effect of insulin-coma therapy on adrenal function, 235
—— schizophrenic patients; metabolism of C^{14}-epinephrine in, 28
—— tranquilizing drugs; influence on thyroid function, 1296
MEPROBAMATE: *see* Tranquilizing drugs
METABOLIC INSUFFICIENCY (Editorial), 531
METHIMAZOLE
—— in study of *in vivo* conversion of thyroxine to 3:5:3′-triiodothyronine, 903
—— methimazole-blocked diseased thyroid slices; I^{131} metabolism in, 354
—— methimazole-treated cases of toxic goiter; effect of iodide on release of thyroid hormone in, 367
METHODS: *see also* Tests
—— Albert and Loraine-Brown methods for extraction & purification of HPG, 600
—— chromatographic procedure for det'n of urinary corticosteroids & C_{19} steroids, 643
—— collaborative assays for 2 local standards for HPG, 1428
—— collaborative assays of 2 urinary preps. of HPG, 1117
—— comparison of methods for estimation of urinary adrenal steroids, 586
—— comparison of Norymberski, Glenn-Nelson and Reddy methods for C_{21} urinary steroids, 522
—— enriched blood smears for study of sex chromatin, 1432
—— for assessing urinary ICSH and FSH activity, 1186
—— for biologic characterization of human gonadotropins, 843, 1067, 1216
—— for demonstrating increased inactivation of Pitressin in diabetes insipidus, 543
—— for detection of antithyroid antibodies, 792
—— for estimating bone formation rate, 1246
—— for estimation of GH content of a single human pituitary, 149
—— for estimation of plasma corticosterone & cortisol; comparison with other methods, 190
—— for estrogen excretion pattern in Cushing's syndrome, 15
—— for estrogens and steroids in urine, 1384
—— for preparation of human pituitary FSH, 1333
—— for quant. det'n of progesterone and pregnanediol in human plasma, 1223
—— for staining of delta cells of hypophysis, 917
—— for urinary epinephrine, C^{14}-labeled, 28
—— microdetermination of testosterone in spermatic vein blood, 966
—— micro-method for BEI in serum, 774
—— Norymberski methods for urinary 17-ketogenic steroids (incl. Zimmermann method for 17-KS); study of, 208
—— paper chromatographic method for pregnanediol in urine, 300
—— simplified method for routine measurements of estriol in urine, 1274
—— vehicles and modes of administration as factors in effect of ACTH, 882
METHYLESTRENOLONE
—— complications during prolonged admin., in pregnancy, 1137
—— therapy; jaundice during, 114
METHYLTESTOSTERONE: *see* Androgens
MICRODETERMINATION: *see* Methods
MUSCLE, skeletal; degenerative changes of, and severe uterine bleeding in unrecognized myx-

MUSCLE (*cont.*)
edema, 492
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NASAL mucous membrane function in hypogonadal women, 379
NATIONAL CANCER INSTITUTE; training program for steroid biochemistry (Clark Univ. and Univ. of Utah), 234
NATIONAL INSTITUTES OF HEALTH; reprints wanted on endocrine-cancer relationships, 423
NEOPLASMS: *see* Cancer; Tumors; and under organ involved
NEPHROTIC SYNDROME: *see* Kidneys, uremia
NERVOUS SYSTEM: *see also* Brain; Mental
—— cerebrospinal fluid proteins in myxedema, 470
—— poliomyelitis; hypercalciuria foll'g; amelioration by 17-ethyl,19-nortestosterone, 860
NEUTROPHILS: *see* Blood, leukocytes
NEW YORK ACADEMY OF MEDICINE, Postgraduate Week, 916
NEW YORK UNIVERSITY PG MEDICAL SCHOOL, post-graduate course in gynecologic endocrinology, 333, 811
NEWBORN: *see* Children; Pregnancy, fetus
NILEVAR (17-ethyl,19-nortestosterone): *see* Androgens; Norethandrolone
NITROGEN: *see also* Protein
—— creatinine clearance in study of renal effects of glucagon, 813
—— creatinine clearance in study of renal regulation of P excretion, 981
—— creatinine excretion in study of effect of dietary Na deprivation on adrenal cortex, 1147, 1159
—— creatinine excretion in study of inhibition of aldosterone by progesterone, 1237
—— creatinine excretion; THF, ATHF and THE excretion expressed in terms of, 1285
—— creatinine, 17-OHCS, Ca and P excretion; effect of 17-ethyl,19-nortestosterone on in hypercalciuria, 860
—— nitrogen and sodium balance in hypogonadal woman studied for olfactory perception threshold, 379
—— nitrogen, calcium and P balance in thyrotoxicosis with hypercalcemia, 477
—— nitrogen excretion; comparison of effects of 3 thyroid preps. on, 950
—— nitrogen metabolism and plasma 17-OHCS in renal disease; effect of cortisol, 36
NON-THYROIDAL HYPOMETABOLISM; half-life of thyroxine^{131} in, 538
NORETHANDROLONE (17-ethyl,19-nortestosterone; Nilevar): *see also* Androgens
—— effect on hypercalciuria foll'g poliomyelitis, 860
—— effect on serum enzyme levels and bromsulfalein retention, 1308
19-NOR STEROIDS: *see* Steroids
NOR-TESTOSTERONE: *see* Androgens
NORYMBERSKI METHODS: *see also* Methods
—— comparison with Glenn-Nelson and Reddy methods for C_{21} steroids, 522
NORYMBERSKI METHODS (*cont.*)
—— study of Norymberski methods for 17-ketogenic steroids, 208
NOTICES: *see* Endocrine Society; Journal; Am. Goiter A.; and under Announcements
NUCLEAR
—— chromatin pattern; det'n of sex by: *see* Sex
—— non-nucleated cell of urinary sediment; diagnostic value of, 1369
NUTRITION: *see* Diet; Food; Growth; Vitamins

OBITUARY; Earl T. Engle, 670
OLFACTORY PERCEPTION THRESHOLDS in hypogonadal women; effects of androgen and estrogen, 379
OSTEITIS DEFORMANS: *see* Bone
OSTEOARTHROPATHY, hypertrophic: *see* Bone
OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Estrogens; Hermaphrodism; Gonadotropins; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— amenorrhea; *see also* Menstruation; Pregnancy
—— castrated and postmenopausal women; characterization of HPG in urine, 843
—— castration, ovarian dysgenesis, Stein-Leventhal syndrome, menstrual disorders & pregnancy; diagnostic value of non-nucleated cell of urinary sediment in, 1369
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— effect of human pit. FSH and HCG on (incl. ovulation), 1333
—— enlarged cystic ovaries (biopsy) in hypothyroid girl with sexual precocity, 886
—— eunuchoidism with low FSH in the female *vs.* the male; effect of HCG, 1
—— Fallopian tube in 6-year-old boy with gonadal dysgenesis, 1006
—— female nuclear patterns in indent. twins with seminiferous tubule dysgenesis, 1359
—— female sex chromatin; enriched blood smears for det'n of, 1432
—— females of various ages; ICSH excretion in, 460
—— feminization in an adult male, caused by adrenocort. Ca., 310
—— feminizing adrenal tumor in 5½-year-old girl, 318
—— gonadal dysgenesis (Turner's syndrome); clinical, hormonal & microscopic findings, 892
—— gonads of anencephalic infants; histology *vs.* sex chromatin, 327
—— HPG content of urine from postmenopausal & from castrated women; standards, 600
—— HPG (female urine) compared with sheep FSH, 1216
—— hypogonadal women with high FSH *vs.* low FSH; effect of HCG, 1
—— hypogonadal women; olfactory perception thresholds in; effects of androgens & estrogens, 379
—— isolation of ketopregnene metabolites of pregesterone from ripe follicles, corp. lutea, placenta and fat, 337

OVARY (*cont.*)
—— menstrual disorders: *see also* Menstruation
—— non-adrenal fetal female pseudohermaphrodism assoc'd with admin. of progestins to mothers, 559
—— normal menstrual cycle; urinary ICSH and FSH activity during, 1186
—— ovarian function as measured by pregnanediol excretion, 300
—— ovarian tumor, masculinizing; diagnostic corticosteroid inhibition test, 794
—— ovariectomized women receiving ACTH; estrogen and 17-KS excretion in, 1268
—— ovariectomized women's urine; HPG in, 1428
—— ovogonia in rudimentary gonads in case of Turner's syn. with male chromatin pattern, 227
—— pituitary dwarfism in girls; treatment with estrogens + androgens, 679
—— postmenopausal woman; day-to-day fluct. in excretion in HPG, 453
—— postmenopausal woman with biliary fistula; metabolism of progesterone-4-C^{14} in, 972
—— pre- and postpuberal genetic females; familial true hermaphrodism in; hormonal & morphologic studies, 1349
—— preparations: *see* Estrogens; Progesterone
—— pseudohermaphrodism, female: *see also* Hermaphrodism
—— reproductive disorders (incl. Stein-Leventhal syn.); urinary ICSH & FSH activity in, 1202
—— sex chromatin patterns: *see also* Sex
—— Stein-Leventhal syndrome; effect of human pituitary FSH & HCG in, 1333
—— Stein-Leventhal syndrome; effect on body Na & K composition, 611
—— therapy: *see also* Estrogens; Gonadotropins; Progesterone; Steroids
—— woman with virilizing adrenal adenoma; 17-KS and estrogen excretion, 1384
—— women; comparison of HPG and HCG (urine), 1067
—— women (some with bile fistula); metabolism of 4-C^{14}-testosterone in, 1056
OVOGONIA: *see* Ovary
OXYTOCIN: *see* Pituitary preps. & comps.

PANCREAS: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
PARATHYROIDS: *see also* Bone; Calcium
—— hypoparathyroidism; absence of phosphaturic response to probenecid in, 769
—— hypoparathyroidism: Ca^{45} studies of bone formation rate in, 1246
—— hypoparathyroidism; hypocalcemic hypercalciuria during vitamin D & dihydrotachysterol therapy; comparison with pseudohypopara'm, 246
—— pseudohypoparathyroidism treated with vit. D_2 and cortisone; metabolism of citric acid in, 1093
PEPTIDE: *see* Protein
PERSISTENT thyroid carcinoma, 91
PERSPECTIVES IN BIOLOGY & MEDICINE; new journal, 120
PHARYNGEAL PITUITARY: *see* Pituitary, physiology & pathology
PHOSPHATASE: *see* Enzymes; Phosphorus
PHOSPHORUS: *see also* Bone; Calcium; Parathyroids
—— absence of phosphaturic response to probenecid in hypoparathyroidism, 769
—— effect of 17-ethyl,19-nortestosterone on, in hypercalciuria foll'g poliomyelitis, 860
—— excretion, renal regulation of, 981
—— high phosphate diet; effect in thyrotoxicosis with hypercalcemia; phosphorus balance, 477
—— inorganic P and alk. phosphatase of serum in pit. dwarf treated with human growth hormone, 901
—— inorganic P; effect of glucagon on renal clearance ratios, 813
—— inorganic P of serum in eunuchism and feeble-mindedness, 180
PIGMENT: *see also* Adrenal disorders, Addison's disease
—— heavy pigmentation foll'g total adrenalect'y despite adequate replacement therapy, 586
—— hyperpigmentation in partial adrenocort. insuffic'y, 121
—— melanophore-stimulating hormone in blood in acute adrenocort. insuffic'y foll'g severe burn, 284
PITRESSIN: *see* Pituitary preps. & comps., Pitressin, vasopressin
PITUITARY
DISORDERS
—— chromophobe adenoma + fragment of normal pituitary; hyperthyroidism in patient with, 266
—— diabetes insipidus in association with pituitary dwarfism: Pitressin therapy, 679
—— diabetes insipidus; method for demonstrating increased inactivation of Pitressin in, 543
—— hypophysectomized castrated women; diagnostic value of non-nucleated cell of urinary sediment in, 1369
—— hypophysectomy during pregnancy in breast cancer patient; hormonal studies, 425
—— hypophysectomy (radon) for breast Ca.; effect on 17-KS excretion, 636
—— hypopituitarism; excretion of 11β,17α, 20α,21-tetrahydroxy-4-pregnen-3-one and 20β epimer foll'g admin. of cortisol, 1399
—— hypopituitarism (female); urinary ICSH & FSH activity in, 1202
—— hypopituitarism; simplified water loading test in, 1413
—— panhypopituitarism; corticosteroid excretion pattern in; effect of ACTH, 391
—— panhypopituitarism; response to ACTH & HCG in, 1315
—— pituitary disorders; effect of inhibitor of 11β-hydroxylation on adrenal steroid patterns, 906

PITUITARY (*cont.*)
DISORDERS (*cont.*)
—— pituitary dwarf treated with human growth hormone, 901
—— pituitary dwarfism; diagnosis and treatment, 679
—— postpartum necrosis of pituitary; development of hyperthyroidism following, 271
—— woman with severe hypopituitarism; identification of Δ^4-pregnene-11β-20β,21-triol-3-one in urine extract after admin. of 11-dehydrocortisone acetate, 660
GONADOTROPINS: *see* Gonadotropins; Pituitary preps. & comps.
PHYSIOLOGY & PATHOLOGY
—— a single human pituitary; growth hormone content of; comparison with other species, 149
—— delta cell; response to acute & chronic illness; pituitary cell counts, 917
—— pharyngeal pituitary in term anencephalic infant, 444
—— pituitary-adrenal axis in severe burn, 284
—— pituitary gland of man; amounts of various hormones in, 149
—— pituitary glands (of man & various animals); type of TSH in, 699
PREPARATIONS & COMPOUNDS
ACTH (*adrenocorticotropic hormone*)
—— ACTH stimulation and fluorocortisone suppression of adrenal in hyperadrenocorticism, 586
—— ACTH test; effect of insulin-coma therapy on, 235
—— ACTH test; effect of prednisone on in normal subjects & in Cushing's syn., 409
—— ACTH test; effect of vehicle and mode of admin. on, 882
—— ACTH test in patient receiving a C_{21}-desoxysteroid (U-8614) with corticoid activity, 790
—— ACTH tests used in establishment of normal values for adrenocort. function, 736
—— ACTH-treated patient; effect of inhibition of 11β-hydroxylation on adrenal steroid patterns (adrenal-vein blood; urine), 906
—— addisonians tested with ACTH before study of cortisol-C^{14} metabolism, 662
—— adrenal and testicular response to, 1315
—— dosage in relation to effect on 17-OHCS excretion in thyrotoxicosis, 539
—— effect on adrenal steroid excretion in case of hyperthyroidism foll'g postpartum necrosis of pituitary, 271
—— effect on body Na & K composition, 611
—— effect on corticosteroid excretion patterns in adrenal dysfunction, 391
—— effect on estriol excretion, 1274
—— effect on estrogen and 17-KS excretion in ovariect'd women, 1268

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— effect on estrogen excretion pattern in Cushing's syn., 15
—— effect on excretion of 11β,17α,20α,21-tetrahydroxy-4-pregnan-3-one and 20β epimer, 1399
—— effect on metabolism of cortisol in pregnant woman, 1076
—— effect on metabolism of free and conjug. 17-OHCS in thyroid disease, 167
—— effect on plasma corticosteroids in children, 190
—— effect on plasma free and conjug. 17-OHCS in renal disease, 36
—— effect on urinary steroids in virilizing adrenal adenoma, 1384
—— eight-hour infusion of ACTH; citric acid of urine foll'g, 1093
—— refractoriness to, after recovery from acute adrenocort. insuffic'y foll'g severe burn; absence of ACTH in blood, 284
—— response to, in partial adrenocort. insuffic'y, 121
—— unusual adrenal sensitivity to, in a case of Cushing's syn., 134
Pituitary Hormones (*General*)
—— FSH (follicle-stimulating hormone): *see also* Gonadotropins
—— FSH, human; clinical effect of, 1333
—— gonadotropic hormone: *see also* Gonadotropins
—— growth hormone content of a single human pituitary; comparison with other species, 149
—— growth hormone (human); pituitary dwarf treated with; serum P values, 901
—— growth hormone in treat. of pituitary dwarfism, 679
—— HPG and HCG (urine); comparison, 1067
—— HPG; collaborative assays of 2 local standards, 1428
—— HPG; collaborative assays of 2 urinary preps. of, 1117
—— HPG compared with sheep FSH, 1216
—— HPG; day-to-day fluct. in excretion of, in postmenop. woman, 453
—— HPG; excretion and purification of, 600
—— HPG from urine of normal men and postmenop. & castrated women; characterization of, 843
—— human pituitary gonadotropin (HPG): *see also,* Gonadotropins
—— ICSH and FSH activity; excretion of, during menstrual cycle & in reproductive disorders, 1186, 1202
—— ICSH excretion in normal males and females of various ages, 460
—— interstitial cell-stimulating hormone (ICSH): *see also* Gonadotropins
—— melanophore-stimulating hormone in blood in case of acute adrenocort. insuffic'y foll'g severe burn, 284

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— oxytocin in blood of lactating and nonlactating women, 54
—— Pitressin; effect of delivery on need for, in woman hypophysect'd during pregnancy, 425
—— Pitressin (vasopressin) in test of renal conc'g ability in thyrotoxicosis, 1135
—— Pitressin; method for demonstrating increased inactivation of, in diabetes insipidus; lack of ADH, 543
—— TSH, abnormal, in serum of some thyrotoxic patients; type of TSH in human & animal pituitaries, 699
—— TSH in study of effect of iodide on thyroid hormone release in hyperthyroidism, 367
—— TSH; inhibitor of, in urine of hypothyroid patients, 278
—— TSH; relationship to hyperthyroidism in 2 cases of pituitary disease; assay of blood TSH in one, 266, 271
—— TSH (thyroid-stimulating hormone; thyrotropin): *see also* Thyroid
PLACENTA: *see* Gonadotropins, chorionic; Pregnancy
PNEUMONITIS: *see* Lungs
POLIOMYELITIS; *see* Nervous system
POLISH SOCIETY OF INTERNAL MEDICINE; 20th Congress (1959), 1144
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY & METABOLISM: *see* Endocrine Society, Postgraduate Assembly
POSTGRADUATE COURSES in endocrinology: *see* Endocrine Society, Postgraduate Assembly; and Courses
POSTMENOPAUSAL: *see* Menstruation; Ovary
POTASSIUM: *see also* Electrolytes; Sodium
—— and citric acid metabolism; effect of 17-OHCS on, 1093
—— and sodium excretion; effect of aldosterone antagonist on, 787
—— balance and Na/K salivary ratio during Na restriction; effect of acetazolamide and K on, 1159, 1147
—— body K and Na composition; effect of exog. adrenocort. hormones & of adrenal dysfunction on, 611
—— divergence in Mg, Na and K excretion during stimulation of aldosterone secretion (Na & K restriction studies), 1178
—— effect of progesterone on excretion of K in Addison's disease, before & after aldosterone therapy, 1237
—— renal clearance ratios; effect of glucagon on, 813
—— serum K in primary aldosteronism with edema, 323
PRECOCITY, sexual: *see* Adrenal disorders; Ovary; Sex; Testis
PREDNISONE: *see* Adrenal preps. & comps.
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Pregnanediol; Progesterone
—— chorionic gonadotropin: *see* Gonadotropins
PREGNANCY (*cont.*)
—— complications during prolonged methylestrenolone therapy; jaundice, fluid retention, virilization, 1137
—— diagnostic value of non-nucleated cell of urinary sediment, 1369
—— electrophoretic patterns in serum of hypophysect'd mother and in cord blood of infant, 425
—— fern-leaf patterns, spontaneous, in saliva during, 1434
—— lactation: *see also* Breast
—— masculinization of female fetuses assoc'd with admin. of progestin to mothers, 559
—— newborn infant; prolonged turnover rate of hydrocortisone in, 1127
—— 17-OHCS of mother's plasma and of venous & arterial cord blood, 325
—— 17-OHCS of plasma in patients with abnormal glucose tolerance during, 49
—— origin of aldosterone during, 222
—— pattern of urinary steroids in, 643
—— postpartum necrosis of the pituitary; development of hyperthyroidism foll'g, 271
—— pregnanediol in: *see also* Pregnanediol
—— pregnant patient hypophysec't for breast Ca.; no lactation; hormonal studies, 425
—— pregnant patients receiving pyridoxine (vit. B_6); serum transaminase activity in, 878
—— progesterone and pregnanediol of plasma; quant. det'n of, 1223
—— progesterone: *see also* Progesterone
—— ripe follicles, corp. lutea, placenta, and fat; isolation of ketopregnene metabolites of progesterone from; conc'n during pregnancy, 337
—— secretion and disposition of cortisol during, in normal & adrenalect'd women, 1076
—— serum; resin uptake of radiothyroxine in, 1437
—— term anencephaly; 17-OHCS & 17-KS in maternal & cord plasma; adrenal histology, 444
—— toxemic and normal pregnancies, and newborns; serum transaminase activity in; proteinuria, 872
—— umbilical cord blood; 17-OHCS of, in women with abnormal glucose tolerance, 49
PREGNANEDIOL: *see also* Progesterone; Pregnancy
—— and estriol excretion during menstrual cycle, 1274
—— and progesterone; quant. det'n of, in plasma, 1223
—— chief biliary and urinary metabolite of progesterone in postmenop. woman with biliary fistula, 972
—— excretion; effect of human pit. FSH and HCG on, 1333
—— excretion in familial true hermaphrodism, 1349
—— excretion in woman hypophysect'd during pregnancy, 425
—— in urine; paper chromatographic method for, 300
—— urinary, in man feminized by adrenocort. Ca., 310

PREGNANETRIOL (pregnane-3α,17α,20α-triol): *see also* Steroids
—— excretion; effect of ACTH on, in congen. adrenal hyperplasia, 1274
—— excretion in young girl with feminizing adrenal tumor, 318
—— urinary, in comparison of methods for det'n of C_{21} steroids, 522
$\Delta^{1,4}$-PREGNENE-9α-FLUORO, 6-METHYL, 11β, 17α-DIOL-3,20-DIONE; corticoid activity of, 790
Δ^{4}-PREGNENE-11β,20β,21-TRIOL-3-ONE; identification of in extract of urine from woman with severe hypopituitarism after admin. of 11-dehydrocortisone acetate, 660
PRETIBIAL MYXEDEMA: *see* Skin; Thyroid disorders, hypothyroidism
PROBENECID in hypoparathyroidism; absence of phosphaturic response, 769
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Steroids
—— and pregnanediol; quant. det'n of in plasma, 1223
—— as an inhibitor of the sodium-retaining influence of aldosterone, 1237
—— Δ^{4}-3-ketopregnene-20α-ol (and 20β-ol); isolation, identification, biologic activity and conc. in human tissues, 337
—— metabolism of, by adrenal tissue from patients with Cushing's syn. & mammary Ca., 109
—— pregnanediol: *see also* Pregnanediol
—— progesterone-C^{14}; metabolic fate of (bile, feces, urine, plasma) in human subjects, 253
—— progesterone-4-C^{14}; metabolism of, in a postmenop. woman with a biliary fistula, 972
—— progesterone-like compound, methylestrenolone; jaundice during admin. of, 114; complications in pregnancy, 1137
—— progestin (anhydrohydroxyprogesterone) therapy during gestation; masculinization of female fetuses, 559
PROGESTINS: *see* Progesterone
PROMAZINE: *see* Tranquilizing drugs
PROGRAMS: *see* Endocrine Society, Annual Meet-Meeting & Postgraduate Assembly; Am. Goiter A.; Laurentian Hormone Conference
PROTEIN: *see also* Nitrogen
—— gamma-globulin; effect on 17-OHCS excretion, 1315
—— glutamic-oxalacetic transaminase activity of serum in pregnancy and newborns; proteinuria, 872, 878
—— lipoproteins of serum after admin. of *l*-triiodothyronine compared with *l*-thyroxine & desicc. thyroid, 721
—— lipoproteins of serum; androgenic pattern of in response to CG in male hypogonadism, 1123
—— lipoproteins of serum; effect of insulin on, in diabetes, 1418
—— lipoproteins of serum in hyperthyroidism; effect of triiodothyronine on, 506
—— peptide-linked iodotyrosines and iodothyronines of blood in case of congenital goiter, 158
—— plasma proteins (albumin, globulins, fibrinogen) and ESR in subacute thyroiditis, 1407
—— plasma proteins; binding of magnesium to, in thyroid disease, 1111
—— plasma proteins in thyroid disorders, incl. Hashimoto's dis., 99
—— protein-bound iodine (PBI) of serum: *see* Iodine
—— proteins of cerebrospinal fluid in myxedema; electrophoretic partition, 470
—— radioactivity assoc'd with plasma proteins foll'g i.v. C^{14}-progesterone, 253
—— serum albumin/γ-globulin ratio in Hashimoto's dis., 99
—— serum protein and urinary creatinine during dietary Na deprivation, 1159
—— serum proteins; electrophoretic patterns of in woman hypophysect'd during pregnancy and in unbilical cord blood, 425
—— thyroxine-binding protein in serum of woman hypophysect'd during pregnancy, 425
—— thyroxine-binding protein *vs.* resin in pregnancy serum, 1437
—— thyroxine-binding protein: *see also* Iodine, radioactive; Thyroid preps. & comps.
PSEUDOHERMAPHRODISM: *see* Hermaphrodism; Ovary; Sex; Testis
PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids
PSYCHIATRIC; PSYCHOLOGIC: *see* Brain; Mental; Nervous system
PSYCHOSOMATIC MEDICINE, Academy of; Annual Meeting, 811
PUBERTY
—— normal: *see* Children; Ovary; Testis
—— precocious: *see also* Adrenal disorders; Ovary; Testis
—— precocious development in juvenile hypothyroidism, 886
—— precocity, isosexual, due to feminizing adrenal tumor in 5½-year-old girl, 318
PUBLIC HEALTH SERVICE: *see* National Cancer Inst.; and National Inst. of Health
PYROGENIC: *see also* Temperature
—— pyrogenic effect of etiocholanolone, 1043
PYRIDOXINE (vitamin B_6): *see* Vitamins

RADIATION: *see* Radioactive; Roentgen
RADIOACTIVE
—— 4-C^{14}-corticosteroids: *see also* Adrenal preps. & comps.
—— C^{14}-cortisol; metabolism of, in Addison's disease, 662
—— 4-C^{14}-hydrocortisone; absence of 21-dehydroxylation in congen. adrenal hyperplasia, 694
—— C^{14}-progesterone; metabolic fate of, 253
—— C^{14}-progesterone: *see also* Progesterone
—— 4-C^{14}-testosterone; metabolism of, in women (some with bile fistula), 1056
—— C^{14}-testosterone; microdetermination of, in spermatic-vein blood, 966
—— carbon (C^{14}), isotopic; metabolism of epinephrine containing it, 28
—— chromium^{51}; affinity of RBC for, in hypothyroidism, 501

RADIOACTIVE (*cont.*)
—— cobalt^{60}; effect on thyroidal, fecal & urinary radioactivity in man, and tissue radioactivity in rats, 850
—— I^{131}-labeled thyroxine & triiodothyronine: *see also* Iodine, radioactive
—— I^{131}-labeled 3:3′:5′-triiodothyronine; metabolism of, 713
—— I^{131} thyroiditis *vs.* subacute thyroiditis, 65
—— I^{131}: *see also* Iodine, radioactive
—— radioactive fluorine (F^{18}) in study of effect of F on iodine metabolism in hyperthyroidism, 1102
—— radiocalcium (Ca^{45}) studies of bone formation rate in bone disease, 1246
—— radon seeds implanted in pituitary for treat. of breast Ca.; effect on 17-KS excretion, 636
RADIOCALCIUM: *see* Calcium; Radioactive
RADIOIODINE: *see* Iodine, radioactive
RADIOTHYROXINE & RADIOTRIIODOTHYRONINE: *see* Iodine, radioactive; Thyroid preps. & comps.
RADON: *see* Radioactive
RECIPIENTS OF AWARDS
—— The Endocrine Society, 800
—— The American Goiter Assoc., 1037
REDDY method: *see* Methods
RELAXIN (RELEASIN), oral, in dysmenorrhea, 1435
RENAL: *see* Kidneys; Urine
REPRINTS wanted on endocrine-cancer relationships, 423
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sex; Testis
RESERPINE: *see* Tranquilizing drugs.
RESIN UPTAKE of radiothyroxine in sera from non-pregnant and pregnant women, 1437
REVERSIBILITY of osteoporosis in Cushing's disease, 61, 1028, 1131
ROENTGEN RAY
—— radiographic evidence in study of reversibility of osteoporosis, 61, 1028, 1131
—— therapy, adjunctive: *see also* in various endocrine disorders, treatment
—— therapy in subacute thyroiditis, 65

SALIVA
—— salivary Na/K ratio during sodium restriction, 1147, 1159
—— spontaneous formation of fern-leaf patterns in, 1434
SALT: *see* Electrolytes; Sodium
SC-8109: *see* Adrenal preps. & comps., aldosterone antagonist
SCHERING SCHOLAR: *see* Endocrine Society, awards
SCHIZOPHRENIC patients: *see* Mental
SCHOLARS OF THE ENDOCRINE SOCIETY: *see* Endocrine Society, awards
SCHOLARSHIPS: *see* Endocrine Society, awards; and under Grants
SCURVY *vs.* Cushing's syndrome re healing of bone lesions, 1131
SEMINIFEROUS TUBULE DYSGENESIS (Klinefelter's syndrome): *see* Testis
SEX: *see also* Androgens, Estrogens; Hermaphrodism; Ovary; Testis
—— chromatin in polymorph. neutrophils of enriched smears, 1432
—— chromatin patterns (skin, blood, oral smears) in 7 cases of Turner's syn., 892
—— chromatin patterns in familial true hermaphrodism, 1349
—— female chromatin pattern in fetal nonadrenal pseudohermaphrodism assoc. with admin. of progestins to mothers, 559
—— female chromatin pattern in young girl with feminizing adrenal tumor, 318
—— feminization in an adult male, caused by adrenocort. Ca., 310
—— male chromatin pattern in case of Turner's syn.; ovogonia in rudimentary gonads, 227
—— male nuclear pattern in 6-year-old boy with Fallopian tube & gonadal dysgenesis. 1006
—— males and females, normal, of various ages; ICSH excretion in, 460
—— males and females, normal; spontaneous fern-leaf patterns in saliva of, 1434
—— males and females; normal values for adrenal function tests, 736
—— males and females; urinary excretion of steroid metabolites THF, ATHF and THE in, 1285
—— males and females, young, normal; body Na and K values in, 611
—— males *vs.* females re effect of *l*-triiodothyronine on serum lipoproteins, 721
—— masculinizing ovarian tumor, 794
—— precocious sexual development in juvenile hypothyroidism, 886
—— precocity, isosexual, due to feminizing adrenal tumor, 318
—— sex incidence in pituitary dwarfism, 679
—— sex reversal: *see* Hermaphrodism; Ovary; Testis
—— somatic sex of anencephalic infants, 327
SEXUAL PRECOCITY: *see* Adrenal disorders; Ovary; Sex; Testis
SKIN
—— hirsutism: *see* Hair
—— pigmentation: *see* Pigment
—— sex chromatin in cells of: *see* Sex
SOCIETY FOR SCIENTIFIC STUDY OF SEX, Annual Meeting, 424
SODIUM: *see also* Electrolytes; Potassium
—— body Na and K composition; effect of exog. adrenocort. hormones and of adrenal dysfunction on, 611
—— chloride of cerebrospinal fluid in myxedema, 470
—— dietary sodium deprivation; role of adrenal cortex in normal adapt. to; signif. of aldosterone secretion during, 1147, 1159
—— divergence in Mg, Na and K excretion during stimulation of aldosterone excretion (Na & K restriction studies), 1178
—— metabolism in primary aldosteronism with edema, 323
—— renal clearance ratios; effect of glucagon on, 813

SODIUM (*cont.*)
—— sodium and nitrogen balance in hypogonadal woman studied for olfactory perception threshold, 379
—— sodium and potassium excretion; effect of aldosterone antagonist on, 787
—— sodium-retaining influence of aldosterone inhibited by progesterone, 1237
—— sodium-retaining substances: *see also* Adrenal preps. & comps. (aldosterone, etc.)
SPERMATOZOA: *see* Testis
SQUIBB FELLOWSHIP: *see* Endocrine Society, awards
STEIN-LEVENTHAL SYNDROME: *see* Ovary
STERILITY: *see* Menstruation; Pregnancy; Ovary; Testis
STEROIDS
—— a C_{21}-desoxysteroid (U-8614) with corticoid activity (17-OHCS & 17-KS), 790
—— a 19-nor-steroid (methylestrenolone); complications during prolonged admin. of, 114, 1137
—— aldosterone: *see* Adrenal preps. & comps.
—— androgens: *see* Androgens
—— C_{19} steroids and corticosteroids, urinary; chromatographic procedure for det'n of, 643
—— C_{21} urinary steroids (incl. 17-KS & 17-KGS); comparison of methods for det'n of, 522
—— corticoids, corticosteroids: *see also* Adrenal preps. & comps.
—— cortisone: *see* Adrenal preps. & comps.
—— determination of, *see also* Methods
—— effect of ACTH on excretion of estriol, 17-KS & pregnanetriol, 1274
—— estrogens: *see* Estrogens
—— etiocholanolone and androsterone; fate of, in women, 1056
—— etiocholanolone; thermogenic effect and metabolic fate of, in men, 1043
—— identification of Δ^4-pregnene-11β,20β,21-triol-3-one in urine of woman with severe hypopituitarism, after admin. of 11-dehydrocortisone acetate, 660
—— individual ketosteroids; effect of amphenone on in adrenocort. Ca., 937
—— isolation of, from virilizing adrenal adenoma; 17-KS & estrogen excretion, 1384
—— 17-hydroxycorticosteroids: *see* Adrenal preps. & comps.
—— 17-ketogenic, urinary; study of methods for (incl. 17-KS), 208
—— 17-ketosteroids (17-KS): *see also* Adrenal preps. & comps.
—— 17-KS after endocrine ablative surgery, 636
—— 17-KS and estrogen excretion; effect of ACTH on in ovariect'd women, 1268
—— 17-KS and other urinary steroids, before and after ACTH, in establishment of normal values for adrenocort. function, 736
—— 17-KS; effect of amphenone on in Cushing's syn., 134
—— 17-KS; effect of human pit. FSH and HCG on, 1333
STEROIDS (*cont.*)
—— 17-KS; effect of insulin coma on, 235
—— 17-KS excretion altered by inhibitor of 11β-hydroxylation, 906
—— 17-KS excretion; effect of CG on in male hypogonadism, 1123
—— 17-KS excretion in eunuchism and feeblemindedness, 180
—— 17-KS excretion in eunuchoidism with low FSH; effect of HCG & estrogen therapy, 1
—— 17-KS excretion in fetal non-adrenal female pseudohermaphrodism assoc'd with admin. of progestins to mothers, 559
—— 17-KS excretion in hypogonadal women studied re olfactory percept. threshold, 379
—— 17-KS excretion in interstitial-cell tumor of testis with gynecomastia, 834
—— 17-KS excretion in man feminized by adrenocort. Ca., 310
—— 17-KS excretion in partial adrenocortical insuffic'y, 121
—— 17-KS excretion in pituitary dwarfism, 679, 901
—— 17-KS excretion in Turner's syn., 892
—— 17-KS excretion in woman hypophysect'd during pregnancy, 425
—— 17-KS excretion in young girl with feminizing adrenal tumor, 318
—— 17-KS excretion patterns in adrenal dysfunction, 391
—— 17-KS in familial true hermaphrodism, 1349
—— 17-KS in maternal and cord plasma in term anencephaly, 444
—— 17-KS in twins with seminiferous tubule dysgenesis, 1359
—— 17-KS, 17-KGS & 17-OHCS excretion during stimulation & suppression of adrenal in hyperadrenocorticism, 586
—— 17-KS response to ACTH and HCG, 1315
—— 17-KS response to prednisone in masc'g ovarian tumor, 794
—— 17-OHCS: *see* Adrenal preps. & comps.
—— norethandrolone; effect on serum enzyme levels, 1308
—— pregnanediol: *see* Pregnanediol; Pregnancy
—— pregnanetriol: *see* Pregnanetriol
—— progesterone: *see* Progesterone
—— steroid biochemistry; training program in, 234
—— steroid excretion during sodium restriction, 1147, 1159
—— steroid excretion pattern in pregnancy; effect of ACTH 1076
—— tetrahydrocortisol, 3α-allotetrahydro-cortisol and tetrahydrocortisone (urinary) in young & elderly men & women, 1285
—— 11β,17α,20α, 21-tetrahydroxy-4-pregnen-3-one and the 20β epimer; urinary excretion of, 1399
—— unconjugated and glucuronidated steroids of plasma & urine foll'g i.v. cortisol-C^{14} in Addison's dis., 662
—— unconjugated steroids of plasma; clearance rate foll'g i.v. C^{14}-progesterone, 253
SU-4885; inhibitor of 11β-hydroxylation: *see* Enzymes

SUBJECT INDEX to Volume 18, 1458
SUCKLING: *see* Breast ; Pregnancy
SUGAR: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
SURGERY: *see also* under organ involved
—— endocrine ablative; effect on urinary 17-KS in advanced Ca. of breast, 636
—— various types of excision; effect on persistent thyroid Ca., 91
SYNDROMES: *see also* various endocrinopathies
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— eunuchoidism with low ur. FSH: *see* Ovary; Testis
—— familial syndromes: *see* Familial
—— Klinefelter's syndrome: *see* Testis
—— Stein-Leventhal syndrome: *see* Ovary
—— Turner's syndrome: *see* Ovary; Sex; Testis
SYNOVIAL cavity: *see* Joints

TAPAZOLE: *see* Methimazole
TEMPERATURE
—— basal body, during menstrual cycle re ICSH & FSH urinary activity, 1186
—— thermal injury: *see* Burn
—— thermogenic effect and metabolic fate of etiocholanolone, 1043
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Steroids
—— aircrewmen, fatigued; plasma corticosteroid levels in, 1440
—— bilat. orchiectomy & adrenalectomy; response to ACTH & HCG after, 1315
—— chromosomal sex: *see also* Sex
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— estrogen-treated man with Ca. of prostate, diurnal pattern of plasma 17-OHCS in, 1076
—— eunuchoidism with low FSH in the female *vs.* the male; effect of HCG, 1
—— eunuchism; inorg. P of serum in, 180
—— genetic sex: *see also* Sex
—— gonadal dysgenesis in a 6-year-old boy with Fallopian tube; male nuclear pattern, 1006
—— gonads of anencephalic infants; histology *vs.* sex chromatin, 327
—— hermaphrodism, true familial, in genetic females; hormonal & morphologic studies, 1349
—— interstitial-cell and adrenal response to ACTH and HCG, 1315
—— interstitial-cell tumor with gynecomastia; hormonal studies before & after operation, 834
—— male, adult; adrenocort. Ca. causing feminization in, 310
—— male chromatin pattern & presence of interstit. cells in 6 of 7 cases of Turner's syn.; hormonal and microscop. findings, 892
—— male hypogonadism; androgenic response of serum lipoprotein pattern to CG in, 1123
—— male pituitary dwarf treated with human growth hormone, 901
TESTIS (*cont.*)
—— male urinary HPG compared with sheep FSH, 1216
—— male urine; standards for HPG content, 600, 1428
—— males, comparison of HPG and HCG (urine), 1067
—— males of various ages; ICSH excretion in, 460
—— males; renal regulation of P excretion in, 981
—— masculinization of female fetuses assoc. with admin. of progestins to mothers, 559
—— normal males; aldosterone secretion during dietary Na deprivation, 1159
—— normal men; characterization of HPG in urine of, 843
—— normal men; metabolism of etiocholanolone in, 1043
—— pituitary dwarfism (some testicular biopsies); treatment with androgens, 679
—— precocious puberty: *see* Adrenal disorders; Puberty; Sex
—— preparations: *see* Androgens; Steroids
—— pseudohermaphrodism: *see also* Hermaphrodism
—— seminiferous tubule dysgenesis (Klinefelter's syndrome) in identical twins, 1359
—— spermatic-vein blood; microdetermination of testosterone in, 966
—— Turner's syndrome; sex chromatin pattern in, 892
TESTS: *see also* Methods
—— ACTH test: *see* Pituitary preps. & comps., ACTH
—— corticosteroid inhibition test in diagnosis of masc'g ovarian tumor, 794
—— cytologic (chromatin) test for genetic sex: *see* Sex
—— effect of food on I^{131} uptake test, 1029
—— for pregnancy: *see* Gonadotropins, chorionic; Pregnancy
—— for thyroid function: *see* Iodine; Thyroid
—— glucose (sugar) tolerance: *see* Carbohydrate metabolism
—— insulin tolerance: *see* Insulin
—— rapid radioiodine suppression test using triiodothyronine, 797
—— simplified water loading test in hypoadrenocorticism and hypothyroidism, 1413
—— water load test in pituitary dwarfism, 679
—— water load tests: *see also* Kidney; Water
TESTOSTERONE and compounds: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids
TETRAHYDROCORTISOL (THF); TETRAHYDROCORTISONE (THE): *see* Adrenal preps. & comps.
11β, 17α, 20α, 21-TETRAHYDROXY-4-PREGNEN-3-ONE: *see* Steroids
THERMAL INJURY: *see* Burn
THERMOGENIC: *see* Temperature
THIOCYANATE
—— effect on I^{131} metabolism of thyroid slices in various thyroidal disorders, 354
—— effect on release of trapped I^{131} in case of congenital goiter, 158
—— in study of effect of cobalt on thyroid function, 850

THIOCYANATE (*cont.*)
—— used to discharge I^{131} from thyroid in iodine-induced myxedema, 79
THYMOMA: *see* Thymus
THYMUS
—— in case of pituitary chromophobe adenoma + hyperthyroidism, 266
—— thymoma in a case of Cushing's syn. (amphenone), 134
THYROID: *see also* Iodine
DISORDERS
—— carcinoma; persistent, 91
—— chronic thyroiditis (?); antithyroid antibodies in, 792
—— congenital goiter; peptide-linked iodotyrosines & iodothyronines of blood in, 158
—— endemic goiter on Åland Islands; iodine metabolism of; incidence of nodularity, 991
—— goiter assoc'd with cretinism: *see also* Thyroid disorders, hypothyroidism
—— Hashimoto's disease; autoimmunization in (Editorial), 1015
—— hyperthyroidism and hypothyroidism: *see* separate category for each
—— malignancy in a thyroid bearing a "hot" nodule; scintigrams, 1132
—— subacute thyroiditis; fractionated plasma protein & ESR values in, 1407
—— subacute thyroiditis; thyroid function in, 65
—— thyroidal disorders (incl. adenoma, ex.g., Ca. and thyroiditis); I^{131} metabolism in thyroid slices, 354
—— thyroid disease; metabolism of free & conjug. 17-OHCS in, 167
—— thyroid diseases, various; auto-antibodies in, 1015
—— thyroid disorders; plasma proteins, in, 99
Hyperthyroidism (*exophthalmic goiter; Graves' disease; thyrotoxicosis; toxic adenoma*)
—— auto-antibodies in, 1015
—— basal metabolism: *see also* Basal metabolism
—— effect of cobaltous chloride on thyroid function in, 850
—— effect of fluorine in, 1102
—— effect of iodide on release of thyroid hormone in methimazole-treated cases; action of TSH, 367
—— effect of methimazole: *see also* Methimazole
—— effect of thiocyanate: *see* Thiocyanate
—— effect of tranquilizing drugs on thyroid function in, 1296
—— exophthalmos; relation of abnormal TSH to, 699
—— filterability of serum magnesium in, 1111
—— Graves' disease assoc. with hypertrophic osteoarthropathy & pretibial myxedema, 1302
—— hyperthyroid phase of subacute thyroiditis, 65
—— hyperthyroid reactions with *l*-triiodothyronine; comparison with *l*-thyroxine & desicc. thyroid, 721
—— hyperthyroidism, in a case of postpartum necrosis of the pituitary, 271
—— hyperthyroidism in a patient with pit. chromophobe adenoma + fragment of normal pituitary, 266
—— I^{131} metabolism of thyroid slices from patients with, 354
—— *in vivo* conversion of thyroxine to 3:5:3′-triiodothyronine, 903
—— iodine in study and treatment of: *see* Iodine
—— lipoproteins of serum; effect of triiodothyronine on, 506
—— metabolism of free and conjug. 17-OHCS in, 167
—— protein-bound iodine (PBI) of serum in: *see also* Iodine
—— radioactive iodine in study and treatment of: *see* Iodine, radioactive
—— rapid I^{131} suppression test, using triiodothyronine, 797
—— relation between clinical severity of hyperthyroidism and results of thyroid function tests, 629
—— renal concentrating ability and BEI of serum in response to vasopressin, 1135
—— tendency towards thyrotoxicosis in endemic goiter of Åland Islands, 991
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— thyroid-stimulating hormone (TSH) (thyrotropin) in: *see also* Pituitary preps. & comps., TSH
—— thyrotoxic patients; abnormal TSH in serum of; relation to exophthalmos, 699
—— thyrotoxicosis; adrenocortical secretory function in, 539
—— thyrotoxicosis with hypercalcemia; metabolic observations; effect of high P diet, 477
Hypothyroidism (*cretinism; myxedema*)
—— auto-antibodies in, 1015
—— congenital goitrous hypothyroidism; peptide-linked iodotyrosines & iodothyronines in blood, 158
—— congenital hypothyroidism; type of TSH response elicited by serum in, 699
—— effect of thiocyanate in studies of thyroid function: *see* Thiocyanate
—— filterability of serum magnesium in, 1111
—— hypometabolism, non-thyroidal; half-life of thyroxine^{131} in, 538
—— hypothyroid phase of subacute thyroiditis, 65
—— *in vivo* conversion of thyroxine to 3:5:3′-triiodothyronine, in, 903
—— inhibitor of TSH in urine, 278
—— iodine-induced myxedema; some aspects of thyroidal iodine metabolism in, 79
—— juvenile hypothyroidism with pre-

THYROID (*cont.*)
DISORDERS (*cont.*)
cocious sexual development; effect of thyroid therapy, 886
—— metabolic insufficiency; effect of triiodothyronine *vs.* thyroxine, 531
—— metabolism of free & conjug. 17-OHCS in, 167
—— myxedema; cerebrospinal fluid proteins in, 470
—— myxedema; comparison of effects of different thyroid preparations in, 950
—— myxedema; severe uterine bleeding & degen. muscle changes in unrecognized disease, 492
—— pathogenesis of anemia in, 501
—— protein-bound-iodine (PBI) of serum in: *see* Iodine
—— plasma proteins in, 99
—— pretibial myxedema and hypertrophic osteoarthropathy assoc'd with Graves' disease, 1302
—— primary hypothyroidism & hypogonadism; response to HCG in, 1315
—— simplified water loading test in differential diagnosis, 1413
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— treatment of, with thyroid compounds: *see also* Thyroid preps. & comps.
PHYSIOLOGY & PATHOLOGY
—— antithyroid antibodies; detection of, 792
—— auto-antibodies in various thyroid diseases, 1015
—— auto-immunization in Hashimoto's disease (Editorial), 1015
—— function; effect of cobaltous chloride on, 850
—— function; effect of dinitrophenol on, 225
—— function; effect of fluorine on, 1102
—— function; effect of iodine on: *see* Iodine
—— function; effect of methimazole on: *see* Methimazole
—— function; effect of thiocyanate on: *see* Thiocyanate
—— function in adrenocortical insuffic'y foll'g severe burn, 284
—— function in euthyroid patients before & after triiodothyronine, 1024
—— function in subacute thyroiditis, 65
—— function in woman hypophysect'd during pregnancy, 425
—— function; studies of: *see also* Iodine, radioactive; Pituitary preps. & comps., TSH
—— function tests; correlation of results with clinical severity of hyperthyroidism, 629
—— histologic evidence of malignancy in a thyroid bearing a "hot" nodule (scintigrams), 1132
—— histology of persistent thyroid carcinoma, 91
—— hormone: *see also* Thyroid preps. & comps.
THYROID (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
—— pathologic studies: *see also* Thyroid disorders
—— protein-bound iodine: *see* Iodine
—— radioiodine in the study of: *see* Iodine, radioactive
—— thyroidal iodine metabolism in iodine-induced myxedema, 79
—— thyroid of healthy males; biologic half-life of I^{131} in, 516
—— thyroid slices from patients with various thyroidal disorders; I^{131} metabolism in, 354
—— thyroid-stimulating hormone (TSH): *see* Pituitary preps. & comps., TSH
PREPARATIONS & COMPOUNDS
—— antibodies (antithyroid) 792, 1015
—— hormonal BEI of serum; micro-method for, 774
—— I^{131} in study of: *see also* Iodine, radioactive
—— I^{131}-labeled diiodotyrosine and thyroxine; metabolism of in case of congenital goiter, 158
—— I^{131} metabolism in thyroid slices from patients with various thyroidal disorders, 354
—— *in vivo* conversion of thyroxine to 3:5:3′-triiodothyronine, 903
—— iodotyrosines and iodothyronines (peptide-linked) of blood in case of congen. goiter, 158
—— radiothyroxine; half-life in non-thyroidal hypometabolism 538
—— radiothyroxine; resin uptake of in sera from non-pregnant & pregnant women, 1437
—— response to triiodothyronine *vs.* thyroxine in metabolic insufficiency, 531
—— thyroid hormone; secretion of, with advancing age, 516
—— thyroid hormones; daily formation of, in endemic goiter on Åland Islands, 991
—— thyroid therapy; effect on I^{131} metabolism in iodine-induced myxedema, 79
—— thyroid therapy; effect on inhibitor of TSH in urine of hypothyroid patients, 278
—— thyroid therapy; effect on severe uterine bleeding in myxedema, 492
—— thyroid therapy in pituitary dwarfism, 679
—— thyroid therapy in relation to thyroid Ca., 91
—— thyroxine; effect on type of TSH response elicited by serum in thyroid disease, 699
—— thyroxine-binding protein of serum and I metabolism in woman hypophysect'd during pregnancy; treated with cortisone & thyroid, 425
—— triiodothyronine admin'd to euthyroid patients; thyroid function before & after, 1024
—— triiodothyronine; effect on serum lipoproteins in euthyroidism & hyperthyroidism, 506

THYROID (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— 3:3′:5′-triiodothyronine, I^{131}-labeled; metabolism of, 713
—— *l*-triiodothyronine; physiologic effects of, 721
—— triiodothyronine therapy in hypothyroidism; effect on *in vitro* Cr^{51} uptake of RBC, 501
—— triiodothyronine, thyroxine & desicc. thyroid; comparison of effects, 950
—— triiodothyronine used in rapid radioiodine suppression test, 797
THYROIDITIS: *see* Thyroid disorders
THYROID-STIMULATING HORMONE (TSH; thyrotropin): *see* Pituitary preps. & comps., TSH
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (thyrotropin; TSH): *see* Pituitary preps. & comps., TSH
THYROXINE: *see* Thyroid preps. & comps.
TOXEMIA OF PREGNANCY: *see* Pregnancy
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TRANQUILIZING DRUGS (promazine, meprobamate, hydroxyzine, reserpine); influence on thyroid function, 1296
TRANSAMINASE: *see* Enzymes
TRANSPLANTATION: *see* Tumors
TRIIODOTHYRONINE: *see* Thyroid preps. & comps.
TSH: *see* Pituitary preps. & comps., thyroid-stimulating hormone
TUMORS: *see also* Cancer; and under organ involved
—— adrenal: *see* Adrenal disorders; and Cushing's syndrome
—— function of, studied by radioiodine: *see* Iodine, radioactive
—— goiter: *see* Thyroid disorders
—— interstitial-cell: *see* Testis
—— thymoma: *see* Thymus
—— transplantation of adrenocort. Ca. into guinea-pig eye; continued secretion of estrogen, 310
TURNER'S SYNDROME: *see* Ovary; Sex; Testis
TWINS, identical; seminiferous tubule dysgenesis in, 1359

U-8614: *see* Adrenal preps. & comps., C_{21}-desoxysteroid
UMBILICAL CORD: *see* Pregnancy
UPJOHN SCHOLAR: *see* Endocrine Society, awards
UREMIA: *see* Kidney
URETHRA: epithelial cells from; diagnostic value of non-nucleated cell in, 1369
URINE: *see also* Kidney
—— adrenocortical metabolites: *see* Adrenal preps. & comps.
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— chloride: *see* Electrolytes: Sodium
—— chorionic gonadotropin: *see* Gonadotropins: pregnancy
—— corticosteroids (corticoids): *see* Adrenal preps. & comps.
—— diabetes insipidus: *see* Pituitary disorders
URINE (*cont.*)
—— diuresis: *see* Kidney; Pituitary disorders (diabetes insip.), and preps. & comps. (Pitressin, vasopressin)
—— electrolytes: *see* Electrolytes; Potassium; Sodium
—— estrogens: *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins; Pituitary preps. & comps.
—— gonadotropin: *see* Gonadotropins; Pituitary preps. & comps.
—— HPG content: *see* Gonadotropins; Pituitary preps. & comps.
—— 17-hydroxycorticosteroids: *see* Adrenal preps. & comps.
—— hypercalciuria: *see* Calcium
—— I^{131}: *see* Iodine, radioactive
—— ICSH: *see* Gonadotropins; Pituitary preps. & comps.
—— in pregnancy: *see* Gonadotropins, chorionic: Pregnancy; Pregnanediol
—— inhibitor of TSH in, 278
—— iodine compounds in: *see* Iodine
—— 17-ketogenic steroids in: *see* Adrenal preps. & comps., 17-OHCS; Steroids
—— 17-ketosteroids: *see* Steroids, 17-KS
—— 17-OHCS: *see* Adrenal preps. & comps.
—— methods for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Protein
—— phosphorus: *see* Phosphorus
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol: *see* Pregnanediol
—— pregnanetriol: *see* Pregnanetriol
—— radioactive compounds: *see* Radioactive
—— radioactive iodine: *see* Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Adrenal preps. & comps.; Androgens; Estrogens; Steroids
—— sugar: *see* Carbohydrate metabolism: Diabetes mellitus: Insulin
—— THF, ATHF and THE: *see* Adrenal preps. & comps.; Steroids
—— urinary sediment; diagnostic value of non-nucleated cell in, 1369
UTERUS AND VAGINA: *see also* Menstruation; Ovary; Pregnancy
—— endometrium and size of uterus; effect of human pit. FSH and HCG on, 1333
—— fetus, *see* Pregnancy
—— menstruation: *see* Menstruation
—— oral relaxin for dysmenorrhea, 1435
—— postpartum hemorrhage assoc'd with necrosis of pituitary; development of hyperthyroidism foll'g, 271
—— pregnancy: *see* Pregnancy
—— severe uterine bleeding and degen. muscle changes in unrecognized myxedema, 492
—— umbilical cord blood: *see* Pregnancy
—— uterine muscle and decidua; lack of progesterone & ketopregnene metabolites in, 337
—— vaginal smears and endometrial biopsy in hypothyroid girl with sexual precocity; effect of thyroid, 886
—— vaginal smears in case of virilizing adrenal adenoma, 1384

UTERUS AND VAGINA (*cont.*)
—— vaginal smears: *see also* Estrogens; Menstruation; Ovary
—— vaginal suppositories of diiodohydroxyquin (Floraquin); effect on serum PBI, 417

VAGINA: *see* Uterus and Vagina
VAN METER PRIZE: *see* American Goiter Association, awards
VASCULAR SYSTEM: *see also* Blood; Heart
—— atherogenesis in diabetes; effect of insulin on serum lipoproteins, 1418
—— blood pressure; effect of amphenone on in Cushing's syn., 134
—— blood pressure; effect of *l*-triiodothyronine on, 721
VASOPRESSIN: *see* Pituitary preps. & comps. (Pitressin)
VEHICLES and modes of administration; factors in effect of ACTH on plasma 17-OHCS, 882
VIRILIZATION: *see also* Adrenal disorders; Androgens; Hermaphrodism: Ovary; Testis
—— adrenogenital syndrome: *see* Adrenal disorders
—— assoc'd with adrenal disease: *see* Adrenal disorders; and Cushing's syndrome
—— assoc'd with methylestrenolone therapy in pregnancy, 1137
—— masculinization of female fetuses assoc'd with admin. of progestins to mothers, 559
—— masculinizing ovarian tumor, 794
VIRILIZATION (*cont.*)
—— pseudohermaphrodism: *see* Hermaphrodism
VITAMINS
—— scurvy; bone healing in, compared with that in osteoporosis of Cushing's syn., 1131
—— vitamin B_6 (pyridoxine) and transaminase activity in pregnancy, 878
—— vitamin D and dihydrotachysterol therapy of hypoparathyroidism; hypocalcemic hypercalciuria during, 246

WATER: *see also* Kidney; Urine
—— anasarca; plasma 17-OHCS in presence of, 36
—— antidiuretic hormone: *see also* Pituitary preps. & comps. (Pitressin, vasopressin)
—— diabetes insipidus: *see* Pituitary disorders
—— edema assoc'd with primary aldosteronism, 323
—— extracellular fluids during dietary Na deprivation, 1159
—— fluid retention assoc'd with prolonged methylestrenolone therapy in pregnancy, 1137
—— renal concentrating ability tested with vasopressin in thyrotoxicosis, 1135
—— water loading test in hypoadrenocorticism & hypothyroidism, 1413
—— water loading test in pituitary dwarfism, 679

X-RAY: *see* Roentgen ray